



FLORA

HOUSEHOLD APPLIANCES




 **FLORA**
www.floraitaly.eu

Copyright© AT HOME 2018. All rights reserved. the product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or AT HOME's customer care centre to ensure this brochure correctly describes the products currently available.

Important Notice of Disclaimer

Our brochure contains information on a wide subject of products which we manufacture and / or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.





Premium quality Italian household appliances,
delivering tasteful solutions
to the demands of contemporary living!

A modern kitchen interior featuring dark, minimalist cabinetry. A central island with a thick, light-colored concrete countertop is the focal point, equipped with a stainless steel sink and a modern faucet. Above the island, a large, square stainless steel range hood is mounted. The background shows more cabinetry, including glass-fronted upper cabinets, and built-in appliances like a microwave and oven. The floor is a dark, polished material, and a modern bar stool is visible in the foreground.

From Italy to the world... We bring convenience
and style into every home making the everyday better!

Welcome to FLORA's world!

Here you will find intelligent solutions
conceived, designed and made in Italy,
to deliver contemporary and essential
appliances from the best manufacturing
traditions, guaranteeing exceptional
performance and results time after time.

TABLE OF
CONTENTS

COOKING - Free standing

Make cooking a more enjoyable part of your life

• Cookers 10

COOKING - Built-in

Re-discover the pleasure of making real home cooked meals

• Hobs 22

• Ovens 44

COOKER HOODS

Create a fresh and welcoming ambience in your kitchen

• Island 68

• Wall mount 70

LAUNDRY

Your laundry-days are now less of a chore

• Free standing 90

• Built-in 93

DISHWASHING

Take a break and enjoy quiet quality washing

• Free standing 98

• Built-in 99

COOLING

Explore a new approach to refrigeration

• Free standing 104

• Built-in 108

 FLORA creates the ideal combination of advanced technology and excellent design.

We are committed to developing high-class products by continually raising our standards of quality.






COOKING FREE STANDING

FLORA's free standing cooking appliances have been fitted with the latest innovative technology and tested to last a lifetime.

Not only do they look great, but they also perform how modern machinery should – efficient and reliable.





SYMBOLS AND SPECIFICATIONS



GAS OVEN

The lower element inside the oven is gas. The gas element can be functional with both natural gas and LPG.



GAS GRILL

The upper element inside the oven is gas. The gas element can be functional with both natural gas and LPG.



GAS GRILL + TURNSPIT

The upper gas element works in parallel with the turnspit. The turning action helps retain the natural flavor.



GAS OVEN + FAN

The lower gas element works in combination with the convection fan. This option provides uniformity of temperature inside the oven to get the perfect taste.



DOUBLE GRILL + FAN

The convection fan works with the full grill power. Several kinds of foods are cooked in same time without mixing taste or smell.



GRILL + TURNSPIT + FAN

The gas grill, turnspit and the convection fan are on. All options in function together to reduce time and to get the ideal cook.



TOUCH CONTROL DIGITAL TIMER

Control your cooking temperature and time with this touch control digital program.



BIG CAVITY

Internal oven is designed to provide a very large capacity. Now it's time to cook more.



DOUBLE GLAZED DOOR

Two faces of tempered reinforced glass for the oven door. Increases safety and temperature isolating.



LIGHT

The oven cavity is well lightened by a halogen light . Now you see the cook progress.



FLSPC2-9G5BX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas brass burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and 2 grids
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC3-DCFS95GX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC3-DCFS95GXS



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC2-9G5BBK



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas brass burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and 2 grids
- Black finishing
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC2-9G5BX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Black color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC3-DCFS95GX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Blue color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC3-DCFS95GXS



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Yellow color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLSPC2-9G5BBK



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Red color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: ➤ H 85 cm ➤ W 90 cm ➤ D 60 cm



FLC2-9G5SHX



Features

- Free standing cooker
- 5 gas burners
- Triple brass burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- Mirror door
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC3-CF95GXM



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Convection fan
- Minute minder
- Oven light
- Warmer drawer
- Wide chromed legs
- Mirror door
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC3-DCF95GX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC2-9G5HX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Wide chromed legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC3-C95GX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Wide black legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC3-H95GX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Large grids enameled supports
- Flame failure device
- Triple burner
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Wide black legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC2-9G5EX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- Oven capacity 120L
- Enameled pan supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Black legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm



FLC2-E64X



Features

- Free standing cooker
- 4 gas burners
- Oven capacity 58L
- Enameled pan supports
- Flame failure device
- Push button Ignition
- Tempered double glazed oven door
- Minute minder
- Oven light
- Warmer drawer
- Stainless steel
- 1 rapid burner 2800 W
- 1 semi rapid burner 1650 W
- 2 auxiliary burners 1000 W

Dimensions: H 85 cm W 60 cm D 60 cm





COOKING BUILT-IN

Our range of ultra-modern cooking built-in appliances offers a superior selection of sizes, fuel types and designs, ensuring there is something to cater for every need.





SYMBOLS AND SPECIFICATIONS – HOBS



GAS BURNERS

All burners on the cooktop are gas.
The burners can be functional with both natural gas and LPG.



INDUCTION

This new electrical heating system achieves a fast increase in heat that can be controlled instantaneously.



VITRO CERAMIC

A heat-resistant material created by crystallizing glass in controlled conditions is the best option between the newest and the oldest technologies.



ELECTRIC

Hot electric plates. If suddenly you are out of gas or the kitchen is too small to be gas equipped, now you have the solution.



TRIPLE CROWN BURNER

The burner with extraordinary performances for fast cooking.
More powerful flame produced by a mix of 3 in 1 burner.



AUTOMATIC IGNITION

The best solution to allow the electric ignition of the burner with one hand. Fast and easy use.



FULL SAFETY

A flame failure device to immediately cut off gas supply in case if the flame blows out. Installed in all cooktops and ovens.



CAST IRON GRID

Professional design and immutable over time, cast iron pan supports are the best solution for frequent use of hob burners.



ENAMELED PAN SUPPORTS

Practical, functional, this support is a good choice for everyday use.



STAINLESS STEEL



BLACK



FLBH10-CTSFS-F95X




Features

- Built-in gas hob
- Flush design
- 1 mm cook top thickness
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- CR triple burner 3500 W
- FC auxiliary 1000 W
- RC semi rapid 1750 W
- FL semi rapid 1750 W
- RL rapid 3000 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSF-J95X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR semi rapid 1750 W
- RR auxiliary 1000 W
- C triple burner 3500 W
- FL rapid 3000 W
- RL semi rapid 1750 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH12-CTSFS-T95EX




Features

- Built-in gas hob
- Flush design
- 1 mm cook top thickness
- 5 gas burners
- Triple burner
- Last generation burners - S4
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Enameled inner tank
- Stainless steel
- FR semi rapid 1750 W
- RR rapid 3000 W
- FC auxiliary 1000 W
- RC semi rapid 1750 W
- CL triple burner 4000 W

Dimensions:

- W 90 m
- D 50 cm



FLBH12-CTSFS-G95BX




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel control panel
- Black crystal
- FR auxiliary 1000 W
- RR rapid 3000 W
- FC semi rapid 1750 W
- RC semi rapid 1750 W
- CL triple burner 3500 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSFS-W95X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR rapid 3000 W
- FC semi rapid 1750 W
- RC semi rapid 1750 W
- CL triple burner 3500 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSL-S95X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR semi rapid 1750 W
- C triple burner 3500 W
- FL rapid 3000 W
- RL semi rapid 1750 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSF-W95X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR semi rapid 1750 W
- RR rapid 3000 W
- C triple burner 3500 W
- FL auxiliary 1000 W
- RL semi rapid 1750 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSL-S96X




Features

- Built-in gas hob
- 6 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR semi rapid 1750 W
- FC rapid 3000 W
- RC semi rapid 1750 W
- FL triple burner 3500 W
- RL semi rapid 1750 W

Dimensions:

- W 90 cm
- D 50 cm




FLBH10-CTSFF-S95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Fish burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR semi rapid 1750 W
- C rapid 3000 W
- FL triple burner 3500 W
- RL semi rapid 1750 W



Dimensions:

- W 90 cm
- D 50 cm




FLBH10-CSEP2-J94X



Features

- Built-in gas hob
- 4 gas burners
- 2 electric plates
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR semi rapid 1750 W
- RR rapid 3000 W
- FC auxiliary 1000 W
- RC semi rapid 1750 W
- FL 180 mm 1500 or 2000 W
- RL 145 mm 1000 or 1500 W



Dimensions:

- W 90 cm
- D 50 cm




FLBH12-ETSF-I95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR semi rapid 1750 W
- RR rapid 3000 W
- C triple burner 3500 W
- FL auxiliary 1000 W
- RL semi rapid 1750 W



Dimensions:

- W 90 cm
- D 50 cm




FLBH10-ETSF-W95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR rapid 3000 W
- C triple burner 3500 W
- FL semi rapid 1750 W
- RL semi rapid 1750 W



Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSF-R95BC




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- FR semi rapid 1750 W
- RR rapid 3000 W
- C triple burner 3500 W
- FL auxiliary 1000 W
- RL semi rapid 1750 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CSTSF-R95BC




Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- FR semi rapid 1750 W
- RR rapid 3000 W
- FC auxiliary 1000 W
- RC semi rapid 1750 W
- CL triple burner 3500 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-VC-K9511BC




Features

- Built-in vitro ceramic hob
- 5 cooking zones
- 1 double zone
- 1 extended zone
- Child safety lock
- Front touch control
- Black crystal
- FR Hi-light 145 mm 1200 W
- RR Hi-light 180 mm 1800 W
- C Hi-light 2500/1300 W
- FL Hi-light 210 mm 2100 W
- RL Hi-light 145 mm 1200 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-IN-I95BC




Features

- Built-in induction hob
- 5 cooking zones
- Residual heat indicator
- Cooking end timer function
- Child lock safety
- Front touch control
- Black crystal
- FR 1400 W
- RR 2300 W
- C 2500 W
- FL 1400 W
- RL 2300 W

Dimensions:

- W 90 cm
- D 50 cm



FLBH10-CTSF-W75X




Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR rapid 2800 W
- C triple burner 3500 W
- FL semi rapid 1750 W
- RL semi rapid 1750 W

Dimensions:

- W 70 cm
- D 50 cm



FLBH10-CTSF-J64X




Features

- Built-in gas hob
- 4 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR semi rapid 1750 W
- FL triple burner 3500 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-ETSF-W75X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR rapid 2800 W
- C triple burner 3500 W
- FL semi rapid 1750 W
- RL semi rapid 1750 W

Dimensions:

- W 70 cm
- D 50 cm



FLBH10-CTSF-W64




Features

- Built-in gas hob
- 4 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR semi rapid 1750 W
- FL triple burner 3500 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-CSF-W64X




Features

- Built-in gas hob
- 4 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR semi rapid 1750 W
- RR rapid 2800 W
- FL auxiliary 1000 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-ESF-W64X




Features

- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR rapid 2800 W
- FL semi rapid 1750 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-ETSF-W64X




Features

- Built-in gas hob
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR auxiliary 1000 W
- RR rapid 2800 W
- FL triple burner 3500 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-EP-S64X




Features


- Built-in electric hob
- 4 electric plates
- 6 levels function
- Maximum power 5500 W
- Lateral knobs control
- Stainless steel
- FR 180 mm 2000 W
- RR 145 mm 1000 W
- FL 145 mm 1000 W
- RL 180 mm 2000 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-CSF-R64BC




Features

- Built-in gas hob
- 4 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black glass
- FR auxiliary 1000 W
- RR rapid 2800 W
- FL semi rapid 1750 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-VC-K64BC




Features

- Built-in ceramic hob
- 4 cooking zones
- 6 levels function
- 1200 W / 1800 W
- Front touch control
- Black crystal
- FR 145 mm 1200 W
- RR 180 mm 1800 W
- FL 145 mm 1200 W
- RL 210 mm 2100W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-ESL-S64B




Features


- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Black
- FR auxiliary 1000 W
- RR semi rapid 1750 W
- FL rapid 2800 W
- RL semi rapid 1750 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-IN-I64BC




Features

- Built-in induction hob
- 4 cooking zones
- 9 levels function
- Maximum power 5400 W
- Automatic pot detection function
- Booster function
- Child safety lock
- Frontal touch control
- Black crystal
- FR 145 mm 1200 W
- RR 210 mm 1500 W
- FL 210 mm 1500 W
- RL 145 mm 1200 W

Dimensions:

- W 60 cm
- D 50 cm



FLBH10-CSF-S382BC




Features


- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- F auxiliary 1000 W
- R rapid 1750 W

Dimensions:

- W 38 cm
- D 50 cm



FLBH10-IN-S382BC




Features

- Built-in induction hob
- 2 cooking zones
- 9 levels function
- Maximum power 3700 W
- Frontal touch control
- Black crystal
- FC Hi-light 145 mm 1400 W
- BC Hi-light 180 mm 2300 W

Dimensions:

- W 38 cm
- D 50 cm



FLBH10-WK-S41BC




Features

- Built-in induction wok
- 1 cooking zone of 30 cm diameter
- 9 levels function
- Maximum power 3000 W
- Boost function
- Frontal touch control
- Black crystal

Dimensions:

- W 40 cm
- D 50 cm



FLBH10-TY-S38BC




Features

- Built-in teppan yaki
- One cooking zone
- Stainless steel plate
- 9 power levels
- Maximum power 2500 W
- Heat indicator
- Frontal control
- Black crystal panel

Dimensions:

- W 40 cm
- D 50 cm



FLBH10-ESTF-L31X




Features

- Built-in gas hob
- 1 gas triple burner
- enameled
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- Triple burner 3500 W

Dimensions:

- W 30 cm
- D 50 cm



FLBH10-CSF-R32BC




Features

- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- F auxiliary 1000 W
- R rapid 2800 W

Dimensions:

- W 30 cm
- D 50 cm



FLBH10-ESF-L32X




Features

- Built-in gas hob
- 2 gas burners
- enameled
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- F auxiliary 1000 W
- R rapid 2800 W

Dimensions:

- W 30 cm
- D 50 cm



FLBH10-EP-L32X




Features

- Built-in electric hob
- 2 electric plates
- 6 levels function
- 2000 W / 1000 w
- Front knobs control
- Stainless steel
- FC 145 mm 1000 or 1500 W
- RC 180 mm 1500 or 2000 W

Dimensions:

- W 30 cm
- D 50 cm




FLBH10-FR-L3X



Features

- Built-in electric fryer
- Max capacity 2.7L
- Oil temperature lamp
- Thermostat
- Front knobs control
- 2300 W
- Stainless steel



Dimensions:

- W 30 cm
- D 50 cm




FLBH10-VC-K32BC



Features

- Built-in ceramic hob
- 2 cooking zones
- 6 levels function
- 1200 W / 1800 W
- Front knobs control
- Black crystal
- FC Hi-light 145 mm 1200 W
- RC Hi-light 180 mm 1800 W



Dimensions:

- W 30 cm
- D 50 cm




FLBH10-BBQ-L3X



Features

- Built-in barbecue
- Lavic stone
- Enameled pan support
- Front knobs control
- 2400 W
- Stainless steel



Dimensions:

- W 30 cm
- D 50 cm




FLBH10-IN-I32BC



Features

- Built-in induction hob
- 2 cooking zones
- 9 levels function
- Maximum power 3700 W
- Frontal touch control
- Black crystal
- FC Hi-light 145 mm 1400 W
- RC Hi-light 180 mm 2300 W



Dimensions:

- W 30 cm
- D 50 cm





SYMBOLS AND SPECIFICATIONS – OVENS



MICROWAVE

An electric oven that heats and cooks food quickly and efficiently.



MICROWAVE + GRILL

The oven with an upper heating element for grilling purposes.



MICROWAVE + CIRCULAR HEATING

Baking option, easy use to bake healthy food.



AUTOMATIC SETTINGS-RECIPIES

Apply settings for each application automatically. You can add settings as you like.



LIGHT ON TOP

The oven cavity is well lightened by a halogen light. Now you see the cook progress.



UPPER + LOWER HEATING ELEMENTS

Electric heating elements in the upper and lower part of the oven. Professional baking results is what you have.



UPPER HEATING ELEMENT

Electric heating element in the upper part of the oven. Grill your food and get the delicious taste.



LOWER HEATING ELEMENT

Lower heating element in electric. Cook well and get the best result.



HALF GRILL

The upper gas grill works in half efficiency. Some sensitive types of food require convenient temperature to get the ideal taste.



LARGE GRILL

The upper gas element works in full power. This option reduces time and gives the appropriate heat to your cook.



LARGE GRIL + CONVECTION FAN

The upper gas element works in full power with the convection fan. This option is used mostly for baking.



UPPER + LOWER HEATING ELEMENT + CONVECTION FAN

Upper and lower heating elements work in parallel with the convection fan. Cakes and pizzas are perfect done using this option.



CIRCULAR HEATING

Convection fan is used to circulate heat around food in the oven. You guarantee very well done food.



LOWER HEATING ELEMENT + CONVECTION FAN

The convection fan works with the lower heating element. This option is used when no need to grill your food.



DEFROST

The defrost function uses the oven fan to circulate air at room temperature around the cavity, enabling you to defrost food more quickly.



TOUCH CONTROL DIGITAL TIMER

To preset cooking temperatures and times thanks to user-friendly touch control digital programmer.



HALF GRILL + CONVECTION FAN

The upper gas grill works in half efficiency in parallel with the convection fan. Heat temperature is equal all over the oven with the required grilling power.



UPPER GAS ELEMENT + CONVECTION FAN



LOWER GAS ELEMENT + CONVECTION FAN

The lower gas grill works in parallel with the convection fan. Heat temperature is equal all over the oven with the required heat power to cook.



UPPER GAS ELEMENT

The upper gas element works independent. This option is mostly used to grill your food.



LOWER GAS ELEMENT

The lower gas element works independent. This option is mostly used to cook with grilling.



GRILL+ CIRCULAR HEATING

Turn spit and convection fan working together. Chicken is mainly prepared using this option.



TIME DEFROSTING



FLBO12-GGT-912X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GGTD-912X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GGTF-912X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GGTFD-912X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GET-912X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GETD-912X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GETF-912X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GETFD-912X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO11-E9-911X




Features

- Built-in electric oven
- Multi functions
- 9 functions
- Convection fan
- Thermostatic
- Cooling fan
- Digital programing
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 110L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO8-E9-948X




Features

- Built-in electric oven
- Multi functions
- 9 functions
- Digital led control
- Thermostatic
- Convection fan
- Digital timer
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 88L
- Stainless steel
- Interior lighting

Dimensions:

- H 48 cm
- W 90 cm



FLBO11-E5-911X




Features

- Built-in electric oven
- Multi functions
- 5 functions
- Convection fan
- Thermostatic
- Cooling fan
- Mechanical programing
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 110L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO8-E5-948X




Features

- Built-in electric oven
- Multi functions
- 5 functions
- Mechanical control
- Thermostatic
- Convection fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 88L
- Stainless steel
- Interior lighting

Dimensions:

- H 48 cm
- W 90 cm



FLBO12-GGT-912BG




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GGTFD-912BG




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GGTF-912BG




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GET-912BG




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GETF-912BG




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO11-E9-911BG




Features

- Built-in electric oven
- Multi functions
- 9 functions
- Convection fan
- Thermostatic
- Cooling fan
- Digital programing
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 110L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GETFD-912BG




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital Timer
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 120L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO11-E5-911BG




Features

- Built-in electric oven
- Multi functions
- 5 functions
- Convection fan
- Thermostatic
- Cooling fan
- Mechanical programing
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 2 layers internal glass
- Oven capacity 110L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 90 cm



FLBO12-GGT-67X




Features

- Built-in gas oven
- Gas grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GGTC-67X




Features

- Built-in gas oven
- Gas grill
- Convection fan
- Flame failure device
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GGTCD-67X




Features

- Built-in gas oven
- Gas grill
- Convection fan
- Flame failure device
- Cooling fan
- Digital timer
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GET-67X




Features

- Built-in gas oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GETC-67X




Features

- Built-in gas oven
- Electric grill
- Convection fan
- Flame failure device
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-E11-67X




Features

- Built-in electric oven
- Multi functions
- 11 functions
- Digital led control
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GETCD-67X




Features

- Built-in gas oven
- Electric grill
- Convection fan
- Flame failure device
- Cooling fan
- Digital timer
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-E8-67X




Features

- Built-in electric oven
- Multi functions
- 8 functions
- Digital control
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-E6-67X




Features

- Built-in electric oven
- Electric grill
- Convection fan
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Stainless steel
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GET-67BG




Features

- Built-in gas oven
- Electric grill
- Flame failure device
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-GGT-67BG




Features

- Built-in gas oven
- Gas grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBO12-E6-67BG




Features

- Built-in electric oven
- Electric grill
- 6 functions
- Convection fan
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Removable door
- 2 layers internal glass
- Oven capacity 67L
- Black glass
- Interior lighting

Dimensions:

- H 60 cm
- W 60 cm



FLBSTO11-1735X




Features

- Built-in steam oven
- Multifunction
- 17 function
- 4 steam programs
- 35L oven capacity
- 1.5L water tank
- Steam cooking up to 130 degree
- Cooling fan
- Safety auto shut down
- Door safety
- Stainless steel & Black glass
- Internal light

Dimensions:

- H 45 cm
- W 60 cm



FLBDW11-246X




Features

- Mechanical thermostat
- Timer
- Table ware pre heating
- Coffee cups pre heating
- Defrosting
- Adjustable temperature from 30° C to 80°C
- Load capacity: 25kg – 24L
- Stainless steel

Dimensions:

- H 15 cm
- W 60 cm



FLBCM11-2.5LX




Features

- Built-in coffee machine
- Usable with any kind of ESE pad
- Touch control panel
- 2.5L water tank
- Removable drop tray
- 560 W for coffee making
- 1000 W for coffee and steam

Dimensions:

- H 45 cm
- W 60 cm



FLBDW11-359X




Features

- Mechanical thermostat
- Timer
- Table ware pre heating
- Coffee cups pre heating
- Defrosting
- Adjustable temperature from 30° C to 80°C
- Load capacity: 35kg – 34L
- Stainless steel

Dimensions:

- H 15 cm
- W 90 cm



FLBMW6-7V-25X




Features

- Built-in microwave
- Cavity 25L
- Grill power 1000 W
- 5 power levels (2 in 1 function)
- 8 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel

Dimensions:

- H 40 cm
- W 59 cm



FLBMW6-8S-34X




Features

- Built-in microwave
- Cavity 34L
- Grill power 1100 W
- Convection power 2500W
- Electronic control
- 5 power levels (3 in 1 function)
- 10 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel

Dimensions:

- H 40 cm
- W 59 cm



FLBMW6-8G-25X




Features


- Built-in microwave
- Cavity 25L
- Grill power 1000 W
- Electronic control
- 5 power levels (2 in 1 function)
- 8 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel

Dimensions:

- H 40 cm
- W 59 cm



FLBMW6-2U-34X




Features

- Built-in microwave
- Cavity 34L
- Grill power 1100 W
- Convection power 2500W
- Electronic control
- 5 power levels (3 in 1 function)
- 10 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Black

Dimensions:

- H 40 cm
- W 59 cm





The union of form, function and efficiency has never been more evident than with FLORA cooker hoods collection.

Every model is precisely engineered featuring stylish designs making a real statement in your kitchen.





SYMBOLS AND SPECIFICATIONS



WASHABLE GREASE FILTERS

Filters can be washed for a perfect cleaning, keeping their performance constant in time.



STAINLESS STEEL GREASE FILTER

The stainless steel grease filter gives an aesthetic appeal to the hood and a long-lasting and high filtering capacity.



FILTER CHANGE

The indicator of saturation of the grease filters and of the active charcoal filters alerts the user of the need to clean or replace them.



AUTOMATIC SENSOR

With the Sensor function activated, the extraction speed will set itself automatically depending on the heat coming from the stove.



ENERGY SAVING

Thanks to technologies, these hoods have high performances and very low energy consumption.



DOUBLE AIR INLET

The models with the double air inlet surface maximize the performance of the hood, even at the lower speeds.



DOUBLE AIR OUTLET

These models are equipped with a 90° rotatable motor, that allows to place the air outlet either on the top or the back side of the hood.



PERIMETER ASPIRATION

The hoods equipped with this feature improve aesthetics, reduce noise and simplify cleaning.



SLIDING CHIMNEYS

The possibility to adjust the height of the chimneys makes our hoods easy to install and perfectly integrated with ceilings of any height.



TOUCH CONTROL

The touch control panel allows you to access all functions of the hood just by touching the icons.



PROGRESSIVE TOUCH CONTROL

A light sliding touch on the control panel, allows to go from speed 1 to 10 in a very easy way.



REMOTE CONTROL

Remote control is designed to fast and easy use.



LED

The unique LED lighting combines very high performance of lighting with the low power consumption.



DIGITAL DISPLAY

These hoods are equipped with a display that makes the use easier by showing the operating speed, the saturation of the filters or the timer, if in use.



FLIH1-NE86XG




Features

- Island hood
- Electronic control
- Micro led lights
- Speeds 3 + 1
- Delay timer
- 620 m³/hour
- Remote control optional
- Stainless steel

Dimensions:

- W 86 cm



FLIH1-PA55X




Features

- Island hood
- Electronic control
- Micro led lights
- Speeds 3 + 1
- Delay timer
- 620 m³/hour
- Remote control optional
- Stainless steel

Dimensions:

- W 86 cm



FLWH4-F4L963SX




Features

- Island hood
- Progressive touch control
- Lights 2 x 3,5 W Led
- Speeds 10 (3 + 1 intensive)
- Timer 5/10/20 min
- Heat sensor
- 630 m³/hour
- Stainless steel

Dimensions:

- W 90 cm
- Available in 60 cm



FLIH1-ST97X




Features


- Island hood
- Electronic control
- Program display
- 4 led lights
- Speeds 3 + 1
- Delay timer
- 640 m³/hour
- Stainless steel

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-VE97BK




Features

- Wall mounted hood
- Easy adaptive control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black glass
- Available in white color
- Energy class A

Dimensions:

- W 90 cm
- Available in 80 cm
- Available in 60 cm



FLWH4-F25970BG




Features

- Wall mounted hood
- Touch control
- Lights 5W led bar
- Speeds 10 (8 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 920 m³/hour EBM motor technology
- Black glass
- Perimeter aspiration
- Energy class A++

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F7995BG




Features

- Wall mounted hood
- Progressive touch control
- Lights 2 x 2,1 W Led
- Speeds 10 (8 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 950 m³/hour EBM motor technology
- Black glass
- Double air inlet
- Energy class A++

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-IF97BK




Features

- Wall mounted hood
- EVO touch control
- Program display
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black Glass
- Remote control – optional
- Available in white color
- Energy class A

Dimensions:

- W 90 cm
- Available in 80 cm
- Available in 60 cm



FLWH1-JO97BK




Features

- Wall mounted hood
- Electronic control
- Program display
- led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black Glass
- Remote control – optional
- Available in black color
- Energy class C

Dimensions:

- W 90 cm
- Available in 80 cm
- Available in 60 cm



FLWH1-CK97BK




Features

- Wall mounted hood
- Touch control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black glass
- Available in black color
- Energy class

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F17970BG




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m3/hour
- Black glass
- Perimeter aspiration
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-V1965BG




Features

- Wall mounted hood
- Touch control
- Halogen lights 2 x 20 W
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 725 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-V6965BG




Features

- Wall mounted hood
- Touch control
- Spot lights 2 x 20 W halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-V2965BG




Features

- Wall mounted hood
- Touch control
- Spot lights 2 x 20 W halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-V9965BG




Features

- Wall mounted hood
- Touch control
- Spot lights 2 x 20 W halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F75963BG




Features

- Wall mounted hood
- Remote control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- 630 m³/hour
- Black glass
- Perimeter aspiration
- Energy class C

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F03970BG




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m³/hour
- Black glass
- Perimeter aspiration
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F04970BG




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m³/hour
- Black glass
- Perimeter aspiration
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-DY97BK




Features

- Wall mounted hood
- Touch control
- Program display
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black glass
- Available in white color
- Energy class A

Dimensions:

- W 90 cm
- Available in 80 cm
- Available in 60 cm



FLWH4-F34965X




Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m3/hour
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F7R960




Features

- Wall mounted hood
- Touch control
- Lights 2 x 20 W halogen
- Speeds 3
- Timer 5/10/20 min
- 600 m³/hour technology
- Dark glass
- Perimeter aspiration
- Energy class C

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F84980X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m³/hour
- Stainless steel
- Perimeter aspiration
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F22985X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 9 (7+ 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 850 m³/hour EBM motor
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F84S980X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m³/hour
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-LO96X




Features

- Wall mounted hood
- EVO touch control
- Program display
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Remote control – optional
- Stainless steel
- Energy class A+

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F00965X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Timer
- Heat sensor
- 650 m³/hour
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F05965X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Heat sensor
- 650 m³/hour
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-ST97X




Features

- Wall mounted hood
- Touch control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel
- Energy class A+

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F6V6980X




Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m3/hour
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH4-F3S965X




Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m3/hour
- Stainless steel
- Energy class A

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-GL97X




Features

- Wall mounted hood
- Electronic control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel
- Energy class C

Dimensions:

- W 90 cm
- Available in 60 cm



FLWH1-NI97XG




Features

- Wall mounted hood
- Electronic control
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel and glass
- Energy class D

Dimensions:

- W 90 cm
- Available in 60 cm




FLWH1-RA97XG



Features

- Wall mounted hood
- Soft push button
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel and glass
- Energy class D

Dimensions:
➔ W 90 cm
➔ Available in 60 cm




FLWH4-F9S975XG



Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 720 m³/hour
- Stainless steel and glass
- Energy class A

Dimensions:
➔ W 90 cm
➔ Available in 60 cm




FLWH4-F0S965X



Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m³/hour
- Stainless steel
- Energy class C

Dimensions:
➔ W 90 cm
➔ Available in 60 cm




FLWH1-SY97X



Features

- Wall mounted hood
- Soft push button
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel
- Energy class D

Dimensions:
➔ W 90 cm
➔ Available in 60 cm





Clean and cared for caring the different fabrics of today, whilst reducing water consumption and being energy-efficient, our range of laundry appliances provides exactly the washing and drying options you need.





SYMBOLS AND SPECIFICATIONS



PROGRAM PHASE INDICATOR



DELAYED START

Press the symbol repeatedly until the required delay time is indicated by the appropriate LED.



TEMPERATURE

The machine will automatically prevent from setting a temperature higher than the one expected for each program.



PREWASH

Prewash is recommended for garments soiled with dust, dirt and sand or with particularly stubborn stains.



ADJUSTABLE SPIN

Touch the "SPIN" symbol to select the desired spin speed.



ANTI-CREASE

The appropriate LED will light up so that the washing machine adjuststhe washing parameters to prevent creases, making ironing easier.



EXTRA RINSE

This option is recommended if your skin is particularly sensitive to enzymes in detergents.



START/PAUSE:

To confirm your selection and start the wash cycle.



FLFW9-107SW



Features

- Washing machine free standing
- 7 kg
- 1000 Rpm
- 9 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 55 cm



FLFW9-129SW



Features

- Washing machine free standing
- 9 kg
- 1200 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 50 cm



FLFW9-108SW



Features

- Washing machine free standing
- 8 kg
- 1200 Rpm
- 9 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 55 cm



FLFW9-1210SW



Features

- Washing machine free standing
- 10 kg
- 1200 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A +++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 60 cm



FLFWD9-1485LW



Features

- Washer dryer free standing
- 8/5 kg
- 1200 Rpm
- 9 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class B

Dimensions:

- H 85 cm
- W 59.5 cm
- D 55 cm



FLFIW9-148LW



Features

- Washing machine fully integrated
- 8 kg
- 1400 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 82 cm
- W 59.5 cm
- D 54.5 cm



FLCD9-7SW



Features

- Dryer free standing
- 7 kg
- Condenser
- 5 Programs
- 3 drying options
- Upper water tank
- Automatic drying control
- Optical cycle warning
- Delay start
- Child safety lock
- White

Dimensions:

- H 85 cm
- W 60 cm
- D 59 cm



FLFIWD-1485LW



Features

- Washer dryer fully integrated
- 8/5 kg
- 1400 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A

Dimensions:

- H 82 cm
- W 59.5 cm
- D 54.5 cm





DISHWASHING

Clean your cookware, cutlery and crockery to hygienic perfection.
We have created a range that includes every level of dishwashers,
so that you can match your new appliance to your household and needs.





SYMBOLS AND SPECIFICATIONS



PROGRAM DELAY
Button can be pressed to delay the start of the washing program from 1 to 24 hours .This option allows the dishwasher to operate at the time of day of the user's choice.



HALF LOAD
Suitable when there are not many dishes to be washed, it saves energy and reduces the program's duration.



FLEXI TABS
Specifically for washing with combination detergents in tablets, which also contains salt and rinse or other agents such as glass protector, steel rinse aids.



ENERGY SAVE
This option can be selected with the wash program of choice to further reduce energy consumption.



PLACE SETTINGS 13
13 place settings having a big capacity capability, helping you in reducing time and effort in your kitchen.



PLACE SETTINGS 14
14 place settings to create the maximum capacity capability , helping you in reducing time and effort in your kitchen.



WATER CONSUMPTION PER CYCLE
12 liters consumption per cycle, 3360 liters annual consumption. Now get your ideal wash with a minimum cost.



SUPER PROGRAM
Very dirty pans and dishes, even with dried-on residues are no more a problem. This is the high clean program .



ENERGY SAVING EFFICIENCY



SAFETY LOCK
Wash safely. A high safety system is integrated.



FLFDW7-1310SX



Features

- Free standing dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Stainless steel control panel
- Anti finger print technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- Silver
- A+ energy efficiency

Dimensions:

- H 85 cm
- W 60 cm
- D 60 cm



FLFDW7-1310W



Features

- Free standing dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- White
- A+ energy efficiency

Dimensions:

- H 85 cm
- W 60 cm
- D 60 cm



FLSIDW7-1410S



Features

- Semi-integrated dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Stainless steel control panel
- Anti finger print technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- A+ energy efficiency

Dimensions:

- H 79 cm
- W 60 cm
- D 54 cm



FLFIDW7-1410




Features

- Fully integrated dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- A+ energy efficiency

Dimensions:

- H 79 cm
- W 60 cm
- D 45 cm





Cool, inside and out! Packed with features, FLORA's cooling range is designed with food care and safe storage in mind and has something to suit every kitchen.





SYMBOLS AND SPECIFICATIONS



NO FROST SYSTEM

The technology that prevents condensation inside the refrigerator and the freezer. It is a multi-level no frost system that maintains the correct degree of humidity preventing frost from forming.



AIR SANITIZING SYSTEM

The innovative filter, made with a special activated carbon fiber, purifies the air inside the refrigerator compartment, eliminating unpleasant odors and preventing proliferation of bacteria.



ANTIBACTERIAL SYSTEM

The filter, purifies the air inside the refrigerator compartment and regenerates by simply washing it with water.



ANTICORROSION TREATMENT

Ensures a high level of protection against chemical agents and allows better adhesion of liquid finishing paints.



HOLIDAY-ECO FUNCTION

This function activates the energy saving mode ensuring an optimal temperature. Now you guarantee the correct preservation of food with a notable reduction in electricity consumption.



LED DISPLAY

The touch display allows you to set the internal temperature and to activate any function you need. Its only a figure touching.



CHILLER BOX

A special drawer at controlled temperature around zero, offers an ideal condition for strong fresh food. the temperature is kept constant between 0 and 4.



CRISPER BOX

A very large drawer dedicated to preserve fruits and vegetables. Now keep your food fresh.



BOTTLE RACK

An elegant stainless steel bottle holder to store bottles and cans without taking up space on the counter door.



SHATTERPROOF GLASS SHELVES

Unbreakable glass shelves designed to ensure maximum safety. Don't forget! You can wash them in your dishwasher.



FLFSSBS9-122X



Features

- ✔ Fridge freezer free standing
- ✔ Side by side – 2 doors
- ✔ Dynamic cooling system
- ✔ No frost
- ✔ Gross fridge volume 352L
- ✔ Gross freezer volume 262L
- ✔ Anti-bacterial system
- ✔ Holiday eco function
- ✔ Super cool
- ✔ LCD display
- ✔ Electronic control
- ✔ Full stainless steel
- ✔ Energy class A+

The perfect synthesis of aesthetics, technology and functionality.

This freestanding fridge freezer is designed to be spacious and unique and is created to live and last in time.

Dimensions:

- ↑ H 185 cm
- ➔ W 120 cm
- ↻ D 61 cm



FLFSFF9-7185BX



Features

- ✔ Fridge freezer free standing
- ✔ Bottom freezer
- ✔ Dynamic cooling system
- ✔ No frost
- ✔ Gross fridge volume 415L
- ✔ Gross freezer volume 97L
- ✔ Anti-bacterial system
- ✔ Holiday eco function
- ✔ Super cool
- ✔ Air sanitizing system
- ✔ LCD display
- ✔ Electronic control
- ✔ Full stainless steel
- ✔ Energy class A+

The Italian way by stylish and simple design.

You will add real style to your kitchen, but rest assured, you're also adding one of the most innovative dynamic cooling systems.

Dimensions:

- ↑ H 185 cm
- ➔ W 70 cm
- ↻ D 66 cm



FLFSFZ9-6185X



Features

- ✓ Fridge free standing
- ✓ Upright – single door
- ✓ Dynamic cooling system
- ✓ No frost
- ✓ Gross volume 352L
- ✓ Anti bacterial system
- ✓ Holiday eco function
- ✓ Super cool
- ✓ Automatic defrost
- ✓ 6 glass shelves + 2 drawers
- ✓ LCD display
- ✓ Electronic control
- ✓ Full stainless steel
- ✓ Energy class A+

Combining simplicity, rigor and modernity, this free standing fridge comes with a comprehensive range of innovative to help you make your life so much easier.

Dimensions:

- ↑ H 185 cm
- ➔ W 60 cm
- ↻ D 61 cm



FLFSFR9-6185X



Features

- ✓ Freezer free standing
- ✓ Upright – single door
- ✓ Dynamic cooling system
- ✓ No frost
- ✓ Gross volume 262L
- ✓ Anti bacterial system
- ✓ Holiday eco function
- ✓ Super cool
- ✓ 5 shelves + 2 drawers
- ✓ LCD display
- ✓ Electronic control
- ✓ Full stainless steel
- ✓ Energy class A+

The Italian way by stylish and simple design. You will add real style to your kitchen, but rest assured, you're also adding one of the most innovative dynamic cooling systems.

Dimensions:

- ↑ H 185 cm
- ➔ W 60 cm
- ↻ D 61 cm




FLFIFR9-6185X



Features

- ✓ Fridge fully Integrated
- ✓ Upright – single door
- ✓ Dynamic cooling system
- ✓ No frost
- ✓ Gross volume 352L
- ✓ Anti bacterial system
- ✓ Holiday eco function
- ✓ Super cool
- ✓ Automatic defrost
- ✓ 6 glass shelves + 3 drawers
- ✓ LCD display
- ✓ Electronic control
- ✓ Energy class A+



Discreetly hidden behind cabinetry doors this fully integrated fridge performs brilliantly to keep food ready to go and on hand in the kitchen.

Dimensions:

- ↑ H 185 cm
- W 54 cm
- ↻ D 55 cm




FLFIFZ9-6185X



Features

- ✓ Freezer fully Integrated
- ✓ Upright – single door
- ✓ Dynamic cooling system
- ✓ No frost
- ✓ Gross volume 262L
- ✓ Anti bacterial system
- ✓ Holiday eco function
- ✓ Super cool
- ✓ 5 shelves + 2 drawers
- ✓ LCD display electronic control
- ✓ Energy class A+



Keep your frozen food on hand with this fully integrated freezer designed to be installed straight into your kitchen cabinetry.

Dimensions:

- ↑ H 185 cm
- W 54 cm
- ↻ D 55 cm




FLFIFF9-68BM



Features

- ✓ Fridge freezer fully Integrated
- ✓ Bottom freezer
- ✓ Dynamic cooling system
- ✓ No frost
- ✓ Gross fridge volume 415L
- ✓ Gross freezer volume 97L
- ✓ Anti bacterial system
- ✓ Holiday eco function
- ✓ Super cool
- ✓ Air sanitizing system
- ✓ LCD display
- ✓ Electronic control
- ✓ Energy class A+



Store everything together and out of sight with this fully integrated fridge freezer. An ideal option for kitchens with limited space.

Dimensions:

- ↑ H 185 cm
- W 54 cm
- ↗ D 55 cm



The perfect example of innovation, elegant design and modern functionalities harmoniously expressed in unique masterpieces...

*This is **FLORA** and this is the contemporary interpretation of the Italian traditions.*

INFO

www.floraitaly.eu

Our website provides an easy access to all the information of FLORA's latest products and technologies. Get detail insight and specifications about our range of home appliances and download the online version of our catalogue.

info@floraitaly.eu

We are committed to providing you with the best service possible and highest quality products. Please do not hesitate to contact us for any further information, inquiries or feedback.



AT Home Limited
Rania Business Center
Dubai – United Arab Emirates
P.O.Box 122640
Tel.: + 971 50 227 8721 | Tel.: + 961 79 110 014
www.athome.ae | info@athome.ae