



FLORA

HOUSEHOLD APPLIANCES



AT HOME

DUBAI - UAE - P.O.BOX: 122640


www.athome.ae

ATH0614 June 2018

Copyright© AT HOME 2018. All rights reserved. the product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or AT HOME's customer care centre to ensure this brochure correctly describes the products currently available.

Important Notice of Disclaimer

Our brochure contains information on a wide subject of products which we manufacture and / or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.



Premium quality Italian household appliances,
delivering tasteful solutions
to the demands of contemporary living!



From Italy to the world... We bring convenience
and style into every home making the everyday better!



Welcome to FLORA's world!

Here you will find intelligent solutions conceived, designed and made in Italy, to deliver contemporary and essential appliances from the best manufacturing traditions, guaranteeing you exceptional performance and results time after time.

TABLE OF
CONTENTS

COOKING - Free standing

Make cooking a more enjoyable part of your life

- Cookers 10

COOKING - Built-in

Re-discover the pleasure of making real home cooked meals

- Hobs 20
- Ovens 40

COOKER HOODS

Create a fresh and welcoming ambience in your kitchen

- Island 60
- Wall mount 62

LAUNDRY

Make your laundry-days less of a chore

- Free standing 82
- Built-in 85

DISHWASHING

Take a break and enjoy quiet quality washing

- Free standing 90
- Built-in 91

COOLING

Explore a new approach to refrigeration

- Free standing 96
- Built-in 102

FLORA eats the ideal combination of advanced technology and excellent design.

We are committed to developing high-class products by continually raising our standards of quality.





COOKING FREE STANDING



FLORA's free standing cooking appliances have been fitted with the latest innovative technology and tested to last a lifetime.

Not only do they look great, but they also perform how modern machinery should – efficient and reliable.





SYMBOLS AND SPECIFICATIONS



GAS OVEN

The lower element inside the oven is gas .
The gas element can be functional with both natural gas and LPG .



GAS GRILL

The upper element inside the oven is gas . The gas element can be functional with both natural gas and LPG .



GAS GRILL + TURNSPIT

The upper gas element works in parallel with the turnspit . The turning action helps retain the natural flavor .



GAS OVEN + FAN

The lower gas element works in combination with the convection fan. This option provides uniformity of temperature inside the oven to get the perfect taste.



DOUBLE GRILL + FAN

The convection fan works with the full grill power . Several kinds of foods are cooked in same time without mixing taste or smell.



GRILL + TURNSPIT + FAN

The gas grill, turnspit and the convection fan are on. All options in function together to reduce time and to get the ideal cook.



TOUCH CONTROL DIGITAL TIMER

To preset cooking temperatures and times thanks to an user-friendly touch control digital programmer.



BIG CAVITY

Internal oven is designed to provide a very large capacity. Now it's time to cook more.



DOUBLE GLAZED DOOR

Two faces of tempered reinforced glass for the oven door. Increases safety and temperature isolating.



LIGHT


The oven cavity is well lightened by a halogen light . Now you see the cook progress.



FLSPC2-9G5BX-AT

Features


- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas Brass burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chrome legs
- 1 tray and 2 grids
- Stainless Steel
- Dimensions: 90 x 60 x 85 cm
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLSPC3-DCFS95GXS-AT

Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chrome legs
- 1 tray and grids
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 Wz



FLSPC3-DCFS95GX-AT

Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chrome legs
- 1 tray and grids
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLSPC2-9G5BBK-AT

Features


- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas Brass burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chrome legs
- 1 tray and 2 grids
- Black finishing
- Stainless Steel cook top
- Dimensions: 90 x 60 x 85 cm
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC2-9G5SHX-AT

Features

- Free standing cooker
- 5 gas burners
- Triple brass burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chrome legs
- Mirror door
- Stainless Steel
- Dimensions: 90 x 60 x 85 cm
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC3-CF95GXM-AT

Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Convection fan
- Oven light
- Warmer drawer
- Wide chrome legs
- Mirror door
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC3-DCF95GX-AT

Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Convection fan
- Digital timer
- Oven light
- Warmer drawer
- Wide chrome legs
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC2-9G5HX-AT

Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Wide chrome legs
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC3-C95GX-AT

Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Cast Iron supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Oven light
- Warmer drawer
- Wide black legs
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC2-9G5EX-AT

Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Enameled pan supports
- Flame failure device
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Black legs
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC3-H95GX-AT

Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120 Lt oven capacity
- Large grids enameled supports
- Flame failure device
- Triple burner
- Automatic Ignition
- Tempered double glazed oven door
- Turnspit
- Oven light
- Warmer drawer
- Wide black legs
- Dimensions: 90 x 60 x 85 cm
- Stainless Steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W



FLC2-E64X-AT

Features

- Free standing cooker
- 4 gas burners
- 58 Lt oven capacity
- Enameled pan supports
- Flame failure device
- Push button Ignition
- Tempered double glazed oven door
- Minute minder
- Oven light
- Warmer drawer
- Stainless Steel
- Dimensions: 60 x 60 x 85 cm
- 1 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 2 auxiliary burner 1000 W





COOKING BUILT-IN

Our range of ultra-modern cooking built-in appliances offer a superior selection of sizes, fuel types and designs, ensuring there is something to cater for every need.





SYMBOLS AND SPECIFICATIONS



GAS BURNERS

All burners on the cooktop are gas. The burners can be functional with both natural gas and LPG.



INDUCTION

A new electrical heating.. Very rapid increases in temperature can be achieved, and changes in heat settings are instantaneous.



ELECTRIC

Hot electric plates. If suddenly you are of gas or the location it too small to be gas equipped, now you have the solution.



VITRO CERAMIC

A heat-resistant material created by crystallizing glass in controlled conditions is the best option between the newest and the oldest technologies .



TRIPLE CROWN BURNER

The best burner with extraordinary performances for fast cooking. More powerful flame produced by a mix of 3 in 1 burner.



AUTOMATIC IGNITION

The best solution to allow the electric ignition of the burner with one hand. Fast and easy use.



FULL SAFETY

A flame failure device to immediately cut off gas supply in the event that the flame blows out. All burners on cook top and inside oven are equipped.



CAST IRON GRID

Professional design and immutable over time, cast iron pan supports are the best solution for frequent use of hob burners.



ENAMELED PAN SUPPORTS

Practical, functional, this support is a good choice for everyday use.



STAINLESS STEEL



BLACK



MICROWAVE

Electric oven, heats and cook food. Easy and simple to use.



MICROWAVE + GRILL

Grills replicate the conventional stove process of searing. This produces crisp cookies and pizzas.



MICROWAVE + CIRCULAR HEATING

A convection fan is integrated inside the cavity . You cook fast and get the best taste



AUTOMATIC SETTINGS-RECIPIES


Automatic program selects the ideal time and temperature for your cook . No more trials .. Start cooking



FLBH8-CTSF-O95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 91 cm
- FR Triple burner 3500 W
- RC Semi Rapid 1750 W
- FC Auxiliary 1000 W
- RL Semi Rapid 1750 W
- FR Rapid 3000 W



FLBH8-CTSF-L95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 90 cm
- FL Semi Rapid 1750 W
- RL Semi Rapid 1750 W
- FC Triple burner 3500 W
- RR Rapid 3000 W
- FR Auxiliary 1000 W



FLBH2-CTSF-F95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 90 cm
- FL Triple burner 3500 W
- RC Semi Rapid 1750 W
- FC Auxiliary 1000 W
- RR Rapid 3000 W
- FR Semi Rapid 1750 W



FLBH8-CTSF-A95BX-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel control panel
- Black crystal
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RL Semi Rapid 1750 W
- RR Rapid 3000 W
- FR Semi Rapid 1750 W
- FL Auxiliary 1000 W



FLBH2-CTSF-I95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RL Rapid 3000 W
- RR Semi Rapid 1750 W
- FR Semi Rapid 1750 W
- FL Auxiliary 1000 W



FLBH8-CTSF-B95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast Iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RL Semi Rapid 1750 W
- RR Rapid 3000 W
- FR Auxiliary 1000 W
- FL Semi Rapid 1750 W



FLBH2-CTSL-D95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Lateral knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RR Semi Rapid 1750 W
- FC Semi Rapid 1000 W
- FL Rapid 3000 W
- FR Auxiliary 1000 W



FLBH8-CTSL-P96X-AT

Features


- Built-in gas hob
- 6 gas burners
- Triple burner
- Cast Iron
- Flame failure device
- Automatic Ignition
- Lateral knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Rapid 3000 W
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W
- FL Triple burner 3500 W
- RC RL Semi Rapid 1750 W



FLBH8-CTFSL-P96X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Fish burner
- Cast Iron
- Flame failure device
- Automatic Ignition
- Lateral knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Fish burner 3500 W
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W
- FL Triple burner 3500 W



FLBH2-ETSF-I95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RL Rapid 3000 W
- RR Semi Rapid 1750 W
- FR Semi Rapid 1750 W
- FL Auxiliary 1000 W



FLBH2-CSEPL-P942X-AT

Features


- Built-in gas hob
- 4 gas burners
- 2 electric plates
- Cast Iron
- Flame failure device
- Automatic Ignition
- Lateral knobs control
- Stainless steel
- Dimensions: 90 cm
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W
- FL Rapid 3000 W
- F 145 mm 1000 or 1500 W
- R 180 mm 1500 or 2000 W



FLBH8-ETSL-B95X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RL Semi Rapid 1750 W
- RR Rapid 3000 W
- FR Auxiliary 1000 W
- FL Semi Rapid 1750 W



FLBH2-CTSF-S95BC-AT

Features



- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Black Crystal
- Dimensions: 90 cm
- FC Triple burner 3500 W
- RR Rapid 3000 W
- RL Semi Rapid 1750 W
- FR Auxiliary 1000 W
- FL Semi Rapid 1750 W



FLBH2-IN-D95BC-AT

Features


- Built-in induction hob
- 5 cooking zones
- Residual heat indicator
- Cooking end timer function
- Child lock safety
- Front touch control
- Black Crystal
- Dimensions: 90 cm
- FC Triple burner 2500 W
- RR Rapid 2300 W
- RL Semi Rapid 2300 W
- FR Auxiliary 1400 W
- FL Semi Rapid 1400 W



FLBH8-CTSF-SM95BC-AT

Features



- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Black Crystal
- Dimensions: 90 cm
- LC Triple burner 3500 W
- RR Semi Rapid 1750 W
- RC Semi Rapid 1750 W
- FC Auxiliary 1000 W
- FL Semi Rapid 1750 W



FLBH2-VC-C951BC-AT

Features


- Built-in vitro ceramic hob
- 5 cooking zones
- 1 double zone
- 1 extended zone
- Child lock safety
- Front knobs control
- Black Crystal
- Dimensions: 90 cm
- R right element Hi light 145 mm 1200 W
- F right element Hi light 180 mm 1800 W
- R center Hi light 210 mm 2100 W
- R left Hi light 2500/1300 W
- F left element Hi light 145 mm 1200 W



FLBH2-CTSF-I75X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast Iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 70 cm
- FC Triple burner 3500 W
- RL Semi Rapid 1750 W
- RR Rapid 3000 W
- FR Auxiliary 1000 W
- FL Semi Rapid 1750 W



FLBH2-CTSF-F64X-AT

Features


- Built-in gas hob
- 4 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 60 cm
- FL Triple burner 3500 W
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W



FLBH2-ETSF-I75X-AT

Features


- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 70 cm
- FC Triple burner 3500 W
- RL Rapid 3000W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W
- FL Semi Rapid 1750 W



FLBH2-CTSF-I64X-AT

Features


- Built-in gas hob
- 4 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 60 cm
- FL Triple burner 3500 W
- RL Rapid 3000 W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W



FLBH2-CSF-I64X-AT

Features


- Built-in gas hob
- 4 gas burners
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 60 cm
- FL Auxiliary 1000 W
- RL Rapid 3000 W
- RR Semi Rapid 1750 W
- FR Semi Rapid 1750 W



FLBH2-ESF-I64X-AT

Features


- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 60 cm
- FL Auxiliary 1000 W
- RL Rapid 3000 W
- RR Semi Rapid 1750 W
- FR Semi Rapid 1750 W



FLBH8-CSL-B64X-AT

Features


- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic Ignition
- Lateral knobs control
- Stainless steel
- Dimensions: 60 cm
- FL Rapid 3000 W
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FR Auxiliary 1000 W



FLBH2-EP-D64X-AT

Features


- Built-in electric hob
- 4 electric plates
- 6 levels function
- Maximum power 5500 W
- Lateral knobs control
- Stainless steel
- Dimensions: 60 cm
- R left 180 mm 2000 W
- F left 145 mm 1000 W
- F right 180 mm 1500 W
- R right 145 mm 1000 W



FLBH2-CSF-S64BC-AT

Features


- Built-in gas hob
- 4 gas burners
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Black glass
- Dimensions: 60 cm
- FR Auxiliary 1000 W
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FL Rapid 3000 W



FLBH2-IN-D64BC-AT

Features


- Built-in induction hob
- 4 cooking zones
- 9 levels function
- Maximum power 5400 W
- Automatic pot detection function
- Booster function
- Child lock function
- Frontal touch control
- Black crystal
- Dimensions: 60 cm
- F right 145 mm 1200 W
- R right 210 mm 1500 W
- F left 145 mm 1200 W
- R left 210 mm 1500 W



FLBH2-ESL-I64B-AT

Features


- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic Ignition
- Lateral knobs control
- Black
- Dimensions: 60 cm
- FR Auxiliary 1000 W
- RL Semi Rapid 1750 W
- RR Semi Rapid 1750 W
- FL Rapid 3000 W



FLBH2-VC-D64BC-AT

Features


- Built-in ceramic hob
- 4 cooking zones
- 6 levels function
- 1200 W / 1800 W
- lateral knobs control
- Black crystal
- Dimensions: 60 cm
- F right 145 mm 1200 W
- R right 180 mm 1800 W
- F left 180 mm 1800 W
- R left 145 mm 1200 W



FLBH2-CSF-S382BC-AT

Features


- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Black crystal
- Dimensions: 38 cm
- F Auxiliary 1000 W
- R Rapid 3000 W



FLBH2-IN-S382BC-AT

Features


- Built-in induction hob
- 2 cooking zones
- 9 levels function
- Maximum power 3700 W
- Frontal touch control
- Black crystal
- Dimensions: 38 cm
- F element Hi light 145 mm 1400 W
- Back element Hi light 180 mm 2300 W



FLBH2-WK-S41BC-AT

Features


- Built-in induction Wok
- 1 cooking zone of 30 cm diameter
- 9 levels function
- Maximum power 3000 W
- Boost function
- Frontal touch control
- Black crystal
- Dimensions: 40 cm
- Wok zone 2400 W to 3000 W



FLBH2-TY-S38BC-AT

Features


- Built-in Teppan Yaki
- Stainless steel plate
- 9 levels function
- Maximum power 2500 W
- Heat indicator
- Frontal control
- Black crystal
- Dimensions: 40 cm
- Wok zone 2400 W to 3000 W



FLBH8-CSF-S31X-AT

Features



- Built-in gas hob
- 1 gas triple burner
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 30 cm
- Triple burner 3500 W



FLBH2-CSF-S32BC-AT

Features


- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Black crystal
- Dimensions: 30 cm
- F Auxiliary 1000 W
- R Rapid 3000 W



FLBH2-CSF-D32X-AT

Features


- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic Ignition
- Front knobs control
- Stainless steel
- Dimensions: 30 cm
- F Auxiliary 1000 W
- R Rapid 3000 W



FLBH2-EP-D32X-AT

Features


- Built-in electric hob
- 2 electric plates
- 6 levels function
- 2000 W / 1000 w
- Front knobs control
- Stainless steel
- Dimensions: 30 cm
- F 145 mm 1000 or 1500 W
- R 180 mm 1500 or 2000 W



FLBH8-FR-B32X-AT

Features



- Built-in electric fryer
- Max capacity 2.7 L
- Oil temperature lamp
- Thermostat
- Front knobs control
- 2300 W
- Stainless steel
- Dimensions: 30 cm



FLBH8-BBQ-B32X-AT

Features


- Built-in barbeque
- Lavic stone
- Enameled pan support
- Front knobs control
- 2400 W
- Stainless steel
- Dimensions: 30 cm



FLBH2-IN-D32BC-AT

Features


- Built-in induction hob
- 2 cooking zones
- 9 levels function
- Maximum power 3700 W
- Frontal touch control
- Black crystal
- Dimensions: 30 cm
- F element Hi light 145 mm 1400 W
- Back element Hi light 180 mm 2300 W



FLBH2-VC-D32BC-AT

Features


- Built-in ceramic hob
- 2 cooking zones
- 6 levels function
- 1200 W / 1800 W
- Front knobs control
- Black crystal
- Dimensions: 30 cm
- F element Hi light 145 mm 1200 W
- Back element Hi light 180 mm 1800 W



FLBO8-GCT-96X-AT

Features


- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-GEFT-96X-AT

Features


- Built-in gas oven
- Electric grill
- Convection fan
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-GET-96X-AT

Features


- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-GEFDT-96X-AT

Features



- Built-in gas oven
- Electric grill
- Digital timer
- Convection fan
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO2-GCT-I96X-AT

Features



- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Convection fan
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO2-GET-I96X-AT

Features



- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO2-GCTF-I96X-AT

Features


- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Convection fan
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO2-GETF-I96X-AT

Features



- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Convection fan
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO2-GETFD-I96X-AT

Features


- Built-in gas oven
- Electric grill
- Turnspit
- Digital timer
- Flame failure device
- Thermostatic
- Convection fan
- Cooling fan
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO2-E9L-I96X-AT

Features


- Built-in electric oven
- Multi functions
- 9 functions
- Digital led control
- Thermostatic
- Convection fan
- Digital timer
- Oven capacity 110 lt
- Stainless steel
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-E9D-948X-AT

Features


- Built-in electric oven
- Multi functions
- 9 functions
- Digital led control
- Thermostatic
- Convection fan
- Digital timer
- Oven capacity 88 lt
- Stainless steel
- Dimensions: 90 cm x 48 cm
- Minute minder
- Interior lightening



FLBO8-E5D-948X-AT

Features


- Built-in electric oven
- Multi functions
- 5 functions
- Mechanical control
- Thermostatic
- Convection fan
- Minute minder
- Oven capacity 88 lt
- Stainless steel
- Dimensions: 90 cm x 48 cm
- Minute minder
- Interior lightening



FLBO8-GCT-I96BG-AT

Features


- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 110 lt
- Black glass
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-GEFT-I96BG-AT

Features


- Built-in gas oven
- Electric grill
- Convection fan
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Oven capacity 110 lt
- Black glass
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-GET-I96BG-AT

Features



- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 110 lt
- Black glass
- Dimensions: 90 cm
- Minute minder
- Interior lightening



FLBO8-EEFT-948B-AT

Features


- Built-in electric oven
- Multi functions
- 9 functions
- Mechanical control
- Thermostatic
- Convection fan
- Minute minder
- Oven capacity 88 lt
- Black glass
- Dimensions: 90 cm x 48 cm
- Minute minder
- Interior lightening



FLBO8-GG-L6X-AT

Features


- Built-in gas oven
- Gas grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO8-GG-B6X-AT

Features


- Built-in gas oven
- Gas grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO2-GG-I6X-AT

Features


- Built-in gas oven
- Gas grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO8-GE-L6X-AT

Features


- Built-in gas oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO2-GE-I6X-AT

Features


- Built-in gas oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO8-GE-B6X-AT

Features


- Built-in gas oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO2-E11-S6X-AT

Features


- Built-in electric oven
- Multi functions
- 11 functions
- Digital led control
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO2-E8-S6X-AT

Features


- Built-in electric oven
- Multi functions
- 8 functions
- Digital control
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO2-E6-S6X-AT

Features


- Built-in electric oven
- Multi functions
- 6 functions
- Digital control
- Oven capacity 61 lt
- Black glass
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO8-EE-B66X-AT

Features


- Built-in electric oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO8-EE-66X-AT

Features


- Built-in electric oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 lt
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBO2-E4-I66X-AT

Features


- Built-in electric oven
- Electric grill
- 4 functions
- Thermostatic
- Cooling fan
- Minute minder
- Oven capacity 61 Ltr
- Stainless steel
- Dimensions: 60 cm
- Minute minder
- Interior lightening



FLBMW6-257V-X-AT

Features


- Built-in microwave
- Cavity 25 L
- Grill power 1000 W
- 5 power levels (2 in 1 function)
- 8 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel
- Dimensions: 595 x 400 x 388 mm



FLBMW6-258G-X-AT

Features


- Built-in microwave
- Cavity 25 L
- Grill power 1000 W
- Electronic control
- 5 power levels (2 in 1 function)
- 8 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel
- Dimensions: 595 x 400 x 388 mm



FLBMW6-348S-X-AT

Features



- Built-in microwave
- Cavity 34 L
- Grill power 1100 W
- Convection power 2500W
- Electronic control
- 5 power levels (3 in 1 function)
- 10 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel
- Dimensions: 595 x 400 x 388 mm



FLBMW6-34TU-BK-AT

Features

- Built-in microwave
- Cavity 34 L
- Grill power 1100 W
- Convection power 2500W
- Electronic control
- 5 power levels (3 in 1 function)
- 10 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Black
- Dimensions: 595 x 400 x 388 mm





The union of form, function and efficiency has never been more evident than with FLORA cooker hoods collection.

Every model is precision engineering at its best combined with stylish good-looks to make a real style statement in your kitchen.





SYMBOLS AND SPECIFICATIONS



WASHABLE GREASE FILTERS
Filters can be washed for a perfect cleaning, keeping their performance constant in time



STAINLESS STEEL GREASE FILTER
The stainless steel grease filter gives an aesthetic appeal to the hood and a long-lasting and high filtering capacity; it can be washed in the dishwasher for a perfect cleaning, maintaining its performance constant in time



FILTER CHANGE
The indicator of saturation of the grease filters and of the active charcoal filters alerts the user of the need to clean or replace them, allowing to keep the exhaustion at excellent levels



AUTOMATIC SENSOR
With the Sensor function activated, the extraction speed will set itself automatically depending on the heat coming from the stove and will adjust the exhaustion at optimal levels to avoid waste of energy



ENERGY SAVING
Thanks to technologies that Airforce has developed especially for our engines and lighting systems these hoods have high performances and very low energy consumption



DOUBLE AIR INLET
The models with the double air inlet surface have one or more additional grease filters located in the lower part, turned towards the cooking top. This system maximizes the performance of the hood, even at the lower speeds



DOUBLE AIR OUTLET
These models are equipped with a 90° rotatable motor, that allows to place the air outlet either on the top or the back side of the hood



PERIMETER ASPIRATION
The hoods equipped with this feature have filtering surface positioned perimetrically. This system improves aesthetics, reduces noise and simplifies cleaning



SLIDING CHIMNEYS
The possibility to adjust the height of the chimneys makes our hoods easy to install and perfectly integrated with ceilings of any height



TOUCH CONTROL
The Touch Control panel allows you to access all functions of the hood just by touching the icons, making the use, service and the cleaning of the appliance easier



PROGRESSIVE TOUCH CONTROL



REMOTE CONTROL
Remote control is designed to be fast and easy to use



LED
The unique LED lighting developed by Airforce combines very high performance of lighting with the low power consumption: less than 90% compared to a traditional lamp and with a lifetime of over 20,000 hours




DIGITAL DISPLAY
These hoods are equipped with a display that makes the use easier by showing the operating speed, the saturation of the filters or the timer, if in use



FLIH1-NE86XG-AT

Features


- Island hood
- Electronic control
- Micro led lights
- Speeds 3 + 1
- Delay timer
- 620 m3/hour
- Remote control optional
- Stainless steel
- Dimensions: 86 cm



FLWH4-F4L963SX-AT

Features


- Island hood
- Progressive touch control
- Lights 2 x 3,5 W Led
- Speeds 10 (3 + 1 intensive)
- Timer 5/10/20 min
- Heat sensor
- 630 m3/hour
- Stainless steel
- Dimensions: 90 cm



FLIH1-PA55X-AT

Features


- Island hood
- Electronic control
- Micro led lights
- Speeds 3 + 1
- Delay timer
- 620 m3/hour
- Remote control optional
- Stainless steel
- Dimensions: 50 cm



FLIH1-ST97X-AT

Features


- Island hood
- Electronic control
- Program display
- 4 led lights
- Speeds 3 + 1
- Delay timer
- 640 m3/hour
- Stainless steel
- Dimensions: 90 cm



FLWH1-VE87BK-AT

Features


- Wall mounted hood
- Easy adaptive control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- Black glass
- Available in white color
- Dimensions: 80 cm
- Energy class A



FLWH4-F25970BG-AT

Features


- Wall mounted hood
- Touch control
- Lights 5W led bar
- Speeds 10 (8 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 920 m3/hour EBM motor technology
- Black glass
- Perimeter aspiration
- Dimensions: 90 cm
- Energy class A++



FLWH4-F7995BG-AT

Features


- Wall mounted hood
- Progressive touch control
- Lights 2 x 2,1 W Led
- Speeds 10 (8 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 950 m3/hour EBM motor technology
- Black glass
- Double air inlet
- Dimensions: 90 cm
- Energy class A++



FLWH1-IF87BK-AT

Features


- Wall mounted hood
- EVO touch control
- Program display
- led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- Black Glass
- Remote control - optional
- Available in white color
- Dimensions: 80 cm
- Energy class A



FLWH1-JO87WH-AT

Features


- Wall mounted hood
- Electronic control
- Program display
- led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- White Glass
- Remote control - optional
- Available in black color
- Dimensions: 80 cm
- Energy class C



FLWH4-F17970BG-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m3/hour
- Black glass
- Perimeter aspiration
- Dimensions: 90 cm
- Energy class A



FLWH1-CK87BK-AT

Features


- Wall mounted hood
- Touch control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- White glass
- Available in black color
- Dimensions: 80 cm
- Energy class



FLWH4-V1965BG-AT

Features




- Wall mounted hood
- Touch control
- Halogen lights 2 x 20w
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 725 m3/hour
- Black glass
- Double air inlet
- Dimensions: 90 cm
- Energy class A



FLWH4-V6965BG-AT

Features


- Wall mounted hood
- Touch control
- Spot lights 2 x 20w halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m3/hour
- Black glass
- Double air inlet
- Dimensions: 90 cm
- Energy class A



FLWH4-V9965BG-AT

Features


- Wall mounted hood
- Touch control
- Spot lights 2 x 20 w halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m3/hour
- Black glass
- Double air inlet
- Dimensions: 90 cm
- Energy class A



FLWH4-V2965BG-AT

Features


- Wall mounted hood
- Touch control
- Spot lights 2 x 20w halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m3/hour
- Black glass
- Double air inlet
- Dimensions: 90 cm
- Energy class A



FLWH4-F75963BG-AT

Features

- Wall mounted hood
- Remote control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- 630 m3/hour
- Black glass
- Perimeter aspiration
- Dimensions: 90 cm
- Energy class C



FLWH4-F7R960-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 20 W halogen
- Speeds 3
- Timer 5/10/20 min
- 600 m3/hour technology
- Dark glass
- Perimeter aspiration
- Dimensions: 90 cm
- Energy class C



FLWH4-F84980X-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m3/hour
- Stainless steel
- Perimeter aspiration
- Dimensions: 90 cm
- Energy class A



FLWH4-F22985X-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 9 (7+ 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 850 m3/hour EBM motor
- Stainless steel
- Dimensions: 90 cm
- Energy class A



FLWH4-F84S980X-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class A



FLWH1-LO96X-AT

Features


- Wall mounted hood
- EVO touch control
- Program display
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- Remote control - optional
- Stainless steel
- Dimensions: 90 cm
- Energy class A+



FLWH4-F3S965X-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4(3 + 1 intensive)
- Timer
- Heat sensor
- 650 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class A



FLWH4-F05965X-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4(3 + 1 intensive)
- Heat sensor
- 650 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class A



FLWH1-ST97X-AT

Features


- Wall mounted hood
- Touch control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class A+



FLWH4-F6V6980X-AT

Features


- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class A



FLWH4-F05965X-AT

Features


- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class A



FLWH1-GL97X-AT

Features


- Wall mounted hood
- Electronic control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- Stainless steel
- Dimensions: 90 cm
- Energy class C



FLWH1-NI97XG-AT

Features

- Wall mounted hood
- Electronic control
- Spot lights 2 x 20w
- Speeds 3 + 1
- Delay timer
- 720 m3/hour
- Stainless steel and glass
- Dimensions: 90 cm
- Energy class D



DISHWASHING APPLIANCES



DISHWASHING



Clean your cookware, cutlery and crockery to hygienic perfection.
We have created a range that includes every level of dishwasher,
so that you can match your new appliance to your household and needs.





SYMBOLS AND SPECIFICATIONS



PROGRAM DELAY
Button can be pressed to delay the start of the washing program by from 1 to 12/24 hours .
This option allows the dishwasher to be operated at the time of day of the user's choice.



Place Settings
14 place settings to create the maximum capacity capability , helping you in reducing time and effort in your kitchen



HALF LOAD
Suitable when there are not many dishes to be washed, it saves energy and reduces the program duration.



Water Consumption per Cycle
12 liters consumption per cycle , 3360 liters annual consumption .. Now get your ideal wash with a minimum cost .



HALF LOAD
Specifically for washing with combination detergents in tablets, which also contain salt and rinse or other agents such as glass protector, steel rinse aids



Super Program
Very dirty pans and dishes, even with dried-on residues are no more a problem . This is the high clean program .



ENERGY SAVE
This option can be selected with the wash program of choice to further reduce energy consumption.



Energy Saving Efficiency



Place Settings 13
13 place settings having a big capacity capability , helping you in reducing time and effort in your kitchen .




Safety lock
wash safely .. A high safety system is integrated .



FLFDW7-1310SX-AT

Features


- Free standing Dishwasher
- 13 place settings
- 12 L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 Option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Stainless steel panel control
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- Silver
- A + energy efficiency



FLSIDW7-1410S-AT

Features

- Semi Integrated Dishwasher
- 13 place settings
- 12 L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 Option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Stainless steel panel control
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- A + energy efficiency



FLFDW7-1310W-AT

Features


- Free standing Dishwasher
- 13 place settings
- 12 L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 Option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- White
- A + energy efficiency



FLFIDW7-1410-AT

Features

- Fully Integrated Dishwasher
- 13 place settings
- 12 L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 Option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- A + energy efficiency



LAUNDRY APPLIANCES

RANGE COMING SOON

COOLING APPLIANCES RANGE COMING SOON