

Premium quality Italian household appliances,
delivering tasteful solutions
to the demands of contemporary living!



From Italy to the world... We bring convenience
and style into every home making the everyday better!

Welcome to FLORA's world!

Here you will find intelligent solutions conceived, designed and made in Italy, to deliver contemporary and essential appliances from the best manufacturing traditions, guaranteeing you exceptional performance and results time after time.

TABLE OF CONTENTS

COOKING - Free standing

Make cooking a more enjoyable part of your life

- Cookers 10

COOKING - Built-in

Re-discover the pleasure of making real home cooked meals

- Hobs 22
- Ovens 44

COOKER HOODS

Create a fresh and welcoming ambience in your kitchen

- Island 68
- Wall mount 70

LAUNDRY

Make your laundry-days less of a chore

- Free standing 90
- Built-in 93

DISHWASHING

Take a break and enjoy quiet quality washing

- Free standing 98
- Built-in 99

COOLING

Explore a new approach to refrigeration

- Free standing 104
- Built-in 108

FLORA creates the ideal combination of advanced technology and excellent design.

We are committed to developing high-class products by continually raising our standards of quality.






COOKING FREE STANDING



FLORA’s free standing cooking appliances have been fitted with the latest innovative technology and tested to last a lifetime.

Not only do they look great, but they also perform how modern machinery should – efficient and reliable.







SYMBOLS AND SPECIFICATIONS

GAS OVEN
The lower element inside the oven is gas. The gas element can be functional with both natural gas and LPG.

GAS GRILL
The upper element inside the oven is gas. The gas element can be functional with both natural gas and LPG..

GAS GRILL + TURNSPIT
The upper gas element works in parallel with the turnspit. The turning action helps retain the natural flavor.

GAS OVEN + FAN
The lower gas element works in combination with the convection fan. This option provides uniformity of temperature inside the oven to get the perfect taste.

DOUBLE GRILL + FAN
The convection fan works with the full grill power. Several kinds of foods are cooked in same time without mixing taste or smell.

GRILL + TURNSPIT + FAN
The gas grill, turnspit and the convection fan are on. All options in function together to reduce time and to get the ideal cook.

TOUCH CONTROL DIGITAL TIMER
To preset cooking temperatures and times thanks to an user-friendly touch control digital programmer.

BIG CAVITY
Internal oven is designed to provide a very large capacity. Now it's time to cook more.

DOUBLE GLAZED DOOR
Two faces of tempered reinforced glass for the oven door. Increases safety and temperature isolating.

LIGHT
The oven cavity is well lightened by a halogen light . Now you see the cook progress.





FLSPC2-9G5BX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas brass burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and 2 grids
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC3-DCFS95GXS



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC3-DCFS95GX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC2-9G5BBK



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas brass burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and 2 grids
- Black finishing
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC2-9G5BX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Black color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC3-DCFS95GXS



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Yellow color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC3-DCFS95GX



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Blue color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLSPC2-9G5BBK



Features

- Semi professional free standing cooker
- 2.5 cm high squared cook top
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Digital timer
- Convection fan
- Self cleaning system
- Oven light
- Warmer drawer
- Wide chromed legs
- 1 tray and grids
- Red color
- Stainless steel cook top
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC2-9G5SHX



Features

- Free standing cooker
- 5 gas burners
- Triple brass burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Panoramic oven door
- Turnspit
- Touch control digital timer
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- Mirror door
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC3-DCF95GX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Convection fan
- Digital timer
- Oven light
- Warmer drawer
- Wide chromed legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC3-CF95GXM



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Convection fan
- Oven light
- Warmer drawer
- Wide chromed legs
- Mirror door
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC2-9G5HX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Wide chromed legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC3-C95GX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120L oven capacity
- Cast iron supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Oven light
- Warmer drawer
- Wide black legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC2-9G5EX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120L oven capacity
- Enameled pan supports
- Flame failure device
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Minute minder
- Oven light
- Warmer drawer
- Black legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC3-H95GX



Features

- Free standing cooker
- 5 gas burners
- Triple burner
- 120L oven capacity
- Large grids enameled supports
- Flame failure device
- Triple burner
- Automatic ignition
- Tempered double glazed oven door
- Turnspit
- Oven light
- Warmer drawer
- Wide black legs
- Stainless steel
- 1 triple burner 4000 W
- 2 rapid burners 2800 W
- 1 semi rapid burner 1650 W
- 1 auxiliary burner 1000 W

Dimensions: H 85 cm W 90 cm D 60 cm

FLC2-E64X



Features

- Free standing cooker
- 4 gas burners
- 58L oven capacity
- Enameled pan supports
- Flame failure device
- Push button Ignition
- Tempered double glazed oven door
- Minute minder
- Oven light
- Warmer drawer
- Stainless steel
- 1 rapid burner 2800 W
- 1 semi rapid burner 1650 W
- 2 auxiliary burners 1000 W

Dimensions: H 85 cm W 60 cm D 60 cm

COOKING BUILT-IN



Our range of ultra-modern cooking built-in appliances offer a superior selection of sizes, fuel types and designs, ensuring there is something to cater for every need.







SYMBOLS AND SPECIFICATIONS – HOBS

GAS BURNERS
All burners on the cooktop are gas.
The burners can be functional with both natural gas and LPG.

INDUCTION
A new electrical heating. Very rapid increases in temperature can be achieved, and changes in heat settings are instantaneous.

ELECTRIC
Hot electric plates. If suddenly you are out of gas or the kitchen is too small to be gas equipped, now you have the solution.

VITRO CERAMIC
A heat-resistant material created by crystallizing glass in controlled conditions is the best option between the newest and the oldest technologies .

TRIPLE CROWN BURNER
The burner with extraordinary performances for fast cooking.
More powerful flame produced by a mix of 3 in 1 burner.

AUTOMATIC IGNITION
The best solution to allow the electric ignition of the burner with one hand. Fast and easy use.

FULL SAFETY
A flame failure device to immediately cut off gas supply in the event that the flame blows out. All burners on cook top and inside oven are equipped.

CAST IRON GRID
Professional design and immutable over time, cast iron pan supports are the best solution for frequent use of hob burners.

ENAMELED PAN SUPPORTS
Practical, functional, this support is a good choice for everyday use.


STAINLESS STEEL

BLACK






FLBH8-CTSF-O95X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FR triple burner 3500 W
- RC semi rapid 1750 W
- FC auxiliary 1000 W
- RL semi rapid 1750 W
- FR rapid 3000 W




Dimensions:
- W 91 cm
- D 50 cm

FLBH10-CTSF-J95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FL semi rapid 1750 W
- RL semi rapid 1750 W
- FC triple burner 3500 W
- RR rapid 3000 W
- FR auxiliary 1000 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CTSF-F95X



Features

- Built In gas hob
- Flush design
- 1 mm cook top thickness
- 5 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel




Dimensions:
- W 90 cm
- D 50 cm

FLBH8-CTSF-A95BX



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel control panel
- Black crystal
- FC triple burner 3500 W
- RL semi rapid 1750 W
- RR rapid 3000 W
- FR semi rapid 1750 W
- FL auxiliary 1000 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CSTSF-W95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FC triple burner 3500 W
- RL rapid 3000 W
- RR semi rapid 1750 W
- FR semi rapid 1750 W
- FL auxiliary 1000 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CTSL-S95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FC triple burner 3500 W
- RR semi rapid 1750 W
- FC semi rapid 1000 W
- FL rapid 3000 W
- FR auxiliary 1000 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CTSF-W95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FC triple burner 3500 W
- RL semi rapid 1750 W
- RR rapid 3000 W
- FR auxiliary 1000 W
- FL semi rapid 1750 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CTSL-96X



Features

- Built-in gas hob
- 6 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FC rapid 3000 W
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W
- FL triple burner 3500 W
- RC semi rapid 1750 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CTSFF-95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Fish burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FC fish burner 3500 W
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W
- FL triple burner 3500 W



Dimensions:


- W 90 cm
- D 50 cm

FLBH2-ETSF-I95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FC triple burner 3500 W
- RL rapid 3000 W
- RR semi rapid 1750 W
- FR semi rapid 1750 W
- FL auxiliary 1000 W



Dimensions:


- W 90 cm
- D 50 cm

FLBH10-CSEP-942X



Features

- Built-in gas hob
- 4 gas burners
- 2 electric plates
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W
- FL rapid 3000 W
- F 145 mm 1000 or 1500 W
- R 180 mm 1500 or 2000 W



Dimensions:


- W 90 cm
- D 50 cm

FLBH10-ETSF-W95X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FC triple burner 3500 W
- RL semi rapid 1750 W
- RR rapid 3000 W
- FR auxiliary 1000 W
- FL semi rapid 1750 W



Dimensions:


- W 90 cm
- D 50 cm

FLBH10-CTSF-R95BC



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- FC triple burner 3500 W
- RR rapid 3000 W
- RL semi rapid 1750 W
- FR auxiliary 1000 W
- FL semi rapid 1750 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CSTSF-R95BC




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- LC triple burner 3500 W
- RR semi rapid 1750 W
- RC semi rapid 1750 W
- FC auxiliary 1000 W
- FL semi rapid 1750 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-VC-S9511EBC



Features

- Built-in vitro ceramic hob
- 5 cooking zones
- 1 double zone
- 1 extended zone
- Child lock safety
- Front knobs control
- Black crystal
- R right element Hi-light 145 mm 1200 W
- F right element Hi-light 180 mm 1800 W
- R center Hi-light 210 mm 2100 W
- R left Hi-light 2500/1300 W
- F left element Hi-light 145 mm 1200 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-IN-I95X



Features

- Built-in induction hob
- 5 cooking zones
- Residual heat indicator
- Cooking end timer function
- Child lock safety
- Front touch control
- Black crystal
- FC triple burner 2500 W
- RR rapid 2300 W
- RL semi rapid 2300 W
- FR auxiliary 1400 W
- FL semi rapid 1400 W




Dimensions:
- W 90 cm
- D 50 cm

FLBH10-CTSF-W75X




Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FC triple burner 3500 W
- RL semi rapid 1750 W
- RR rapid 3000 W
- FR auxiliary 1000 W
- FL semi rapid 1750 W




Dimensions:
- W 70 cm
- D 50 cm

FLBH10-CTSF-W64X



Features

- Built-in gas hob
- 4 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Stainless steel
- FL triple burner 3500 W
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-ETSF-W75X



Features

- Built-in gas hob
- 5 gas burners
- Triple burner
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FC triple burner 3500 W
- RL rapid 3000 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W
- FL semi rapid 1750 W




Dimensions:
- W 70 cm
- D 50 cm

FLBH10-ETSF-W64X



Features

- Built-in gas hob
- 4 gas burners
- Triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FL triple burner 3500 W
- RL rapid 3000 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-CSF-W64X



Features

- Built-in gas hob
- 4 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FL auxiliary 1000 W
- RL rapid 3000 W
- RR semi rapid 1750 W
- FR semi rapid 1750 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-ESF-W64X



Features

- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FL auxiliary 1000 W
- RL rapid 3000 W
- RR semi rapid 1750 W
- FR semi rapid 1750 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-ETSF-W64X



Features

- Built-in gas hob
- Triple burners
- Enameled pan support
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- FL rapid 3000 W
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FR auxiliary 1000 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-EP-S64X



Features

- Built-in electric hob
- 4 electric plates
- 6 levels function
- Maximum power 5500 W
- Lateral knobs control
- Stainless steel
- R left 180 mm 2000 W
- F left 145 mm 1000 W
- F right 180 mm 1500 W
- R right 145 mm 1000 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-CSF-R64BC



Features

- Built-in gas hob
- 4 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black glass
- FR auxiliary 1000 W
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FL rapid 3000 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-VC-S64BC



Features

- Built-in ceramic hob
- 4 cooking zones
- 6 levels function
- 1200 W / 1800 W
- Lateral knobs control
- Black crystal
- F right 145 mm 1200 W
- R right 180 mm 1800 W
- F left 180 mm 1800 W
- R left 145 mm 1200 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH2-ESL-I64B




Features

- Built-in gas hob
- 4 gas burners
- Enameled pan support
- Flame failure device
- Automatic ignition
- Lateral knobs control
- Black
- FR auxiliary 1000 W
- RL semi rapid 1750 W
- RR semi rapid 1750 W
- FL rapid 3000 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH10-IN-I64BC



Features

- Built-in induction hob
- 4 cooking zones
- 9 levels function
- Maximum power 5400 W
- Automatic pot detection function
- Booster function
- Child lock function
- Frontal touch control
- Black crystal
- F right 145 mm 1200 W
- R right 210 mm 1500 W
- F left 145 mm 1200 W
- R left 210 mm 1500 W




Dimensions:
- W 60 cm
- D 50 cm

FLBH2-CSF-S382BC



Features

- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- F auxiliary 1000 W
- R rapid 3000 W




Dimensions:
- W 38 cm
- D 50 cm

FLBH2-IN-S382BC



Features

- Built-in induction hob
- 2 cooking zones
- 9 levels function
- Maximum power 3700 W
- Frontal touch control
- Black crystal
- F element Hi-light 145 mm 1400 W
- Back element Hi-light 180 mm 2300 W




Dimensions:
- W 38 cm
- D 50 cm

FLBH2-WK-S41BC



Features

- Built-in induction wok
- 1 cooking zone of 30 cm diameter
- 9 levels function
- Maximum power 3000 W
- Boost function
- Frontal touch control
- Black crystal
- Wok zone 2400 W to 3000 W




Dimensions:
- W 40 cm
- D 50 cm

FLBH2-TY-S38BC



Features

- Built-in teppan yaki
- Stainless steel plate
- 9 levels function
- Maximum power 2500 W
- Heat indicator
- Frontal control
- Black crystal
- Wok zone 2400 W to 3000 W




Dimensions:
- W 40 cm
- D 50 cm

FLBH8-CSF-S31X



Features

- Built-in gas hob
- 1 gas triple burner
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- Triple burner 3500 W




Dimensions:
- W 30 cm
- D 50 cm

FLBH10-CSF-R32BC



Features

- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Black crystal
- F auxiliary 1000 W
- R rapid 3000 W




Dimensions:
- W 30 cm
- D 50 cm

FLBH2-CSF-D32X



Features

- Built-in gas hob
- 2 gas burners
- Cast iron
- Flame failure device
- Automatic ignition
- Front knobs control
- Stainless steel
- F auxiliary 1000 W
- R rapid 3000 W




Dimensions:
- W 30 cm
- D 50 cm

FLBH2-EP-D32X



Features

- Built-in electric hob
- 2 electric plates
- 6 levels function
- 2000 W / 1000 w
- Front knobs control
- Stainless steel
- F 145 mm 1000 or 1500 W
- R 180 mm 1500 or 2000 W




Dimensions:
- W 30 cm
- D 50 cm

FLBH10-FR-S31X




Features

- Built-in electric fryer
- Max capacity 2.7L
- Oil temperature lamp
- Thermostat
- Front knobs control
- 2300 W
- Stainless steel




Dimensions:
- W 30 cm
- D 50 cm

FLBH10-VC-S32BC



Features

- Built-in ceramic hob
- 2 cooking zones
- 6 levels function
- 1200 W / 1800 W
- Front knobs control
- Black crystal
- F element Hi-light 145 mm 1200 W
- Back element Hi-light 180 mm 1800 W




Dimensions:
- W 30 cm
- D 50 cm

FLBH10-BBQ-B31X



Features

- Built-in barbecue
- Lavic stone
- Enameled pan support
- Front knobs control
- 2400 W
- Stainless steel




Dimensions:
- W 30 cm
- D 50 cm

FLBH10-IN-I32BC



Features

- Built-in induction hob
- 2 cooking zones
- 9 levels function
- Maximum power 3700 W
- Frontal touch control
- Black crystal
- F element Hi-light 145 mm 1400 W
- Back element Hi-light 180 mm 2300 W



Dimensions:
- W 30 cm
- D 50 cm



SYMBOLS AND SPECIFICATIONS – OVENS

MICROWAVE
An electric oven that heats and cooks food quickly and efficiently.

MICROWAVE + GRILL
The oven with an upper heating element for grilling purposes.

MICROWAVE + CIRCULAR HEATING
Baking option, easy use to bake healthy food.

AUTOMATIC SETTINGS-RECIPIES
Apply setting for each applications automatically. You can add settings as you like.

LIGHT ON TOP
The oven cavity is well lightened by a halogen light. Now you see the cook progress.

UPPER + LOWER HEATING ELEMENTS
Electric heating elements in the upper and lower part of the oven. Professional baking results is what you have.

UPPER HEATING ELEMENT
Electric heating element in the upper part of the oven. Grill your food and get the delicious taste.

LOWER HEATING ELEMENT

HALF GRILL
The upper gas grill works in half efficiency. Some sensitive types of food requires convenient temperature to get the ideal taste.

LARGE GRILL
The upper gas element works in full power. This option reduces time and give the appropriate heat to your cook.

LARGE GRIL + CONVECTION FAN
The upper gas element works in full power with the convection fan. This option is used for mostly for baking.

UPPER + LOWER HEATING ELEMENT + CONVECTION FAN
Upper and lower heating elements work in parallel with the convection fan. Cakes and pizzas are perfect done using this option.

CIRCULAR HEATING
Convection fan is used to circulate heat around food in the oven. You guarantee very well done food.

LOWER HEATING ELEMENT + CONVECTION FAN
The convection fan works with the lower heating element. This option used when no need to grill your food.

DEFROST
The defrost function uses the oven fan to circulate air at room temperature around the cavity, enabling you to defrost food more quickly.

TOUCH CONTROL DIGITAL TIMER
To preset cooking temperatures and times thanks to an user-friendly touch control digital programmer.

HALF GRILL + CONVECTION FAN
The upper gas grill works in half efficiency in parallel with the convection fan. Heat temperature is equal all over the oven with the required grilling power.

UPPER GAS ELEMENT + CONVECTION FAN

LOWER GAS ELEMENT + CONVECTION FAN
The lower gas grill works in parallel with the convection fan. Heat temperature is equal all over the oven with the required heat power to cook.

UPPER GAS ELEMENT
The upper gas element works independent. This option mostly used to grill your food.

LOWER GAS ELEMENT
The lower gas element works independent. This option mostly used to cook with grilling

GRILL+ CIRCULAR HEATING
Turn spit and convection working together. Chicken is mainly prepared using this option

TIME DEFROSTING





FLBO11-GGT-911X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GGTD-911X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GGTF-911X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GGTFD-911X




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GET-911X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm



FLBO11-GETD-911X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm



FLBO11-GETF-911X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm



FLBO11-GETFD-911X




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Oven capacity 110L
- Stainless steel
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm




FLBO11-E5-911X



Features

- Built-in electric oven
- Multi functions
- 5 functions
- Convection fan
- Thermostatic
- Cooling fan
- Mechanical programing
- Oven capacity 110L
- Stainless steel
- Interior lightening



Dimensions:

- H 60 cm
- W 90 cm




FLBO11-E9-911X



Features

- Built-in electric oven
- Multi functions
- 9 functions
- Convection fan
- Thermostatic
- Cooling fan
- Digital programing
- Oven capacity 110L
- Stainless steel
- Interior lightening



Dimensions:

- H 60 cm
- W 90 cm




FLBO8-E5-948X



Features

- Built-in electric oven
- Multi functions
- 9 functions
- Digital led control
- Thermostatic
- Convection fan
- Digital timer
- Oven capacity 88L
- Stainless steel
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Interior lightening



Dimensions:

- H 48 cm
- W 90 cm




FLBO8-E9-948X



Features

- Built-in electric oven
- Multi functions
- 5 functions
- Mechanical control
- Thermostatic
- Convection fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 88L
- Stainless steel
- Interior lightening



Dimensions:

- H 48 cm
- W 90 cm



FLBO11-GGT-911BG




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Black glass
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GGTF-911BG




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Black glass

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GGTFD-911BG




Features

- Built-in gas oven
- Gas grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital timer
- Oven capacity 110L
- Black glass
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm





FLBO11-GET-911BG




Features

- Built-in gas oven
- Electric grill
- Turnspit
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Black glass
- Interior lightening

Dimensions:

- H 60 cm
- W 90 cm






FLBO11-GETF-911BG



Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- Back catalytic panel
- Easy clean internal enamel
- Removable door
- 3 layers internal glass
- Oven capacity 110L
- Black glass
- Interior lightening



Dimensions:


- H 60 cm
- W 90 cm

FLBO11-E5-911BG



Features

- Built-in electric oven
- Multi functions
- 5 functions
- Convection fan
- Thermostatic
- Cooling fan
- Mechanical programing
- Oven capacity 110L
- Black glass
- Interior lightening



Dimensions:


- H 60 cm
- W 90 cm

FLBO11-GETFD-911BG



Features

- Built-in gas oven
- Electric grill
- Turnspit
- Convection fan
- Flame failure device
- Thermostatic
- Cooling fan
- Digital Timer
- Oven capacity 110L
- Black glass
- Interior lightening



Dimensions:


- H 60 cm
- W 90 cm

FLBO11-E9-911BG



Features

- Built-in electric oven
- Multi functions
- 9 functions
- Convection fan
- Thermostatic
- Cooling fan
- Digital programing
- Oven capacity 110L
- Black glass
- Interior lightening



Dimensions:


- H 60 cm
- W 90 cm

FLBO11-GG-664X



Features

- Built-in gas oven
- Gas grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening



Dimensions:
- H 60 cm
- W 60 cm




FLBO11-GGCD-664X



Features

- Built in gas oven
- Gas grill
- Convection fan
- Flame failure device
- Cooling fan
- Digital timer
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening



Dimensions:
- H 60 cm
- W 60 cm




FLBO11-GGC-664X



Features

- Built in gas oven
- Gas grill
- Convection fan
- Flame failure device
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening



Dimensions:
- H 60 cm
- W 60 cm




FLBO11-GE-664X



Features

- Built-in gas oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening



Dimensions:
- H 60 cm
- W 60 cm




FLBO11-GEC-664X



Features

- Built in gas oven
- Electric grill
- Convection fan
- Flame failure device
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm




FLBO11-GECD-664X



Features

- Built in gas oven
- Electric grill
- Convection fan
- Flame failure device
- Cooling fan
- Digital timer
- Oven capacity 64L
- Stainless steel
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm




FLBO2-E11-S661X



Features

- Built-in electric oven
- Multi functions
- 11 functions
- Digital led control
- Oven capacity 61L
- Stainless steel
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm




FLBO11-E9-S661X



Features

- Built-in electric oven
- Multi functions
- 9 functions
- Digital control
- Oven capacity 61L
- Stainless steel
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm




FLBO-E5-664X



Features

- Built in electric oven
- Electric grill
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm






FLBO-GE-664BG



Features

- Built in gas oven
- Electric grill
- Flame failure device
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Black glass
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm






FLBO-GG-664BG



Features

- Built-in electric oven
- Electric grill
- Flame failure device
- Thermostatic
- Cooling fan
- Minute minder
- 5 cooking levels
- Emovable door
- 3 layers internal glass
- Oven capacity 64L
- Stainless steel
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm






FLBO-E5-664BG



Features

- Built in electric oven
- Electric grill
- Convection fan
- Thermostatic
- Cooling fan
- Digital timer
- Oven capacity 64L
- Black glass
- Interior lightening

Dimensions:
- H 60 cm
- W 60 cm






FLBSTO11-1735X



Features

- Built in steam oven
- Multifunction
- 17 function
- 4 steam programs
- 35L oven capacity
- 1.5L water tank
- Steam cooking up to 130 degree
- Cooling fan
- Safety auto shut down
- Door safety
- Stainless steel
- Internal light

Dimensions:
- H 45 cm
- W 60 cm




FLBCM11-2.5LX



Features

- Built in coffee machine
- Usable with any kind of ESE pad
- Touch control panel
- 2.5L water tank
- Removable drop tray
- 560 W for coffee making
- 1000 W for coffee and steam

Dimensions:
- H 45 cm
- W 60 cm




FLBDW11-246X



Features

- Mechanical thermostat
- Timer
- Table ware pre heating
- Coffee cups pre heating
- Defrosting
- Adjustable temperature from 30° C to 80°C
- Load capacity: 25kg – 24L
- Stainless steel

Dimensions:
- H 15 cm
- W 60 cm




FLBDW11-359X



Features

- Mechanical thermostat
- Timer
- Table ware pre heating
- Coffee cups pre heating
- Defrosting
- Adjustable temperature from 30° C to 80°C
- Load capacity: 35kg – 34L
- Stainless steel

Dimensions:
- H 15 cm
- W 90 cm



FLBMW6-257V-X




Features

- Built-in microwave
- Cavity 25L
- Grill power 1000 W
- 5 power levels (2 in 1 function)
- 8 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel

Dimensions:

- H 40 cm
- W 59 cm





FLBMW6-258G-X




Features

- Built-in microwave
- Cavity 25L
- Grill power 1000 W
- Electronic control
- 5 power levels (2 in 1 function)
- 8 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel

Dimensions:

- H 40 cm
- W 59 cm





FLBMW6-348S-X




Features

- Built-in microwave
- Cavity 34L
- Grill power 1100 W
- Convection power 2500W
- Electronic control
- 5 power levels (3 in 1 function)
- 10 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Stainless steel

Dimensions:

- H 40 cm
- W 59 cm





FLBMW6-34TU-BK




Features

- Built-in microwave
- Cavity 34L
- Grill power 1100 W
- Convection power 2500W
- Electronic control
- 5 power levels (3 in 1 function)
- 10 Auto menus
- Glass turn table 315 mm
- Defrost by weight/time
- Add 30 sec -option
- Cooking end signal
- Child safety lock
- Black

Dimensions:

- H 40 cm
- W 59 cm





COOKER HOODS



The union of form, function and efficiency has never been more evident than with FLORA cooker hoods collection.

Every model is precision engineering at its best combined with stylish good-looks to make a real style statement in your kitchen.







SYMBOLS AND SPECIFICATIONS

WASHABLE GREASE FILTERS
Filters can be washed for a perfect cleaning, keeping their performance constant in time

STAINLESS STEEL GREASE FILTER
The stainless steel grease filter gives an aesthetic appeal to the hood and a long-lasting and high filtering capacity

FILTER CHANGE
The indicator of saturation of the grease filters and of the active charcoal filters alerts the user of the need to clean or replace them

AUTOMATIC SENSOR
With the Sensor function activated, the extraction speed will set itself automatically depending on the heat coming from the stove

ENERGY SAVING
Thanks to technologies, these hoods have high performances and very low energy consumption

DOUBLE AIR INLET
The models with the double air inlet surface maximize the performance of the hood, even at the lower speeds

DOUBLE AIR OUTLET
These models are equipped with a 90° rotatable motor, that allows to place the air outlet either on the top or the back side of the hood

PERIMETER ASPIRATION
The hoods equipped with this feature improves aesthetics, reduces noise and simplifes cleaning

SLIDING CHIMNEYS
The possibility to adjust the height of the chimneys makes our hoods easy to install and perfectly integrated with ceilings of any height.

TOUCH CONTROL
The touch control panel allows you to access all functions of the hood just by touching the icons

PROGRESSIVE TOUCH CONTROL

REMOTE CONTROL
Remote control is designed to be fast and easy to use.

LED
The unique LED lighting combines very high performance of lighting with the low power consumption

DIGITAL DISPLAY
These hoods are equipped with a display that makes the use easier by showing the operating speed, the saturation of the filters or the timer, if in use.





FLIH1-NE86XG




Features

- Island hood
- Electronic control
- Micro led lights
- Speeds 3 + 1
- Delay timer
- 620 m³/hour
- Remote control optional
- Stainless steel

Dimensions:
- W 86 cm

* Available in 60cm



FLWH4-F4L963SX




Features

- Island hood
- Progressive touch control
- Lights 2 x 3,5 W Led
- Speeds 10 (3 + 1 intensive)
- Timer 5/10/20 min
- Heat sensor
- 630 m³/hour
- Stainless steel

Dimensions:
- W 90 cm

* Available in 60cm



FLIH1-PA55X




Features

- Island hood
- Electronic control
- Micro led lights
- Speeds 3 + 1
- Delay timer
- 620 m³/hour
- Remote control optional
- Stainless steel

Dimensions:
- W 86 cm

* Available in 60cm



FLIH1-ST97X




Features


- Island hood
- Electronic control
- Program display
- 4 led lights
- Speeds 3 + 1
- Delay timer
- 640 m³/hour
- Stainless steel

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-VE87BK




Features

- Wall mounted hood
- Easy adaptive control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black glass
- Available in white color
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F25970BG




Features

- Wall mounted hood
- Touch control
- Lights 5W led bar
- Speeds 10 (8 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 920 m³/hour EBM motor technology
- Black glass
- Perimeter aspiration
- Energy class A++

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F7995BG




Features

- Wall mounted hood
- Progressive touch control
- Lights 2 x 2,1 W Led
- Speeds 10 (8 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 950 m³/hour EBM motor technology
- Black glass
- Double air inlet
- Energy class A++

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-IF87BK




Features

- Wall mounted hood
- EVO touch control
- Program display
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black Glass
- Remote control – optional
- Available in white color
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-JO87WH




Features

- Wall mounted hood
- Electronic control
- Program display
- led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black Glass
- Remote control – optional
- Available in black color
- Energy class C

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F17970BG




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m3/hour
- Black glass
- Perimeter aspiration
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-CK87BK




Features

- Wall mounted hood
- Touch control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black glass
- Available in black color
- Energy class

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-V1965BG




Features

- Wall mounted hood
- Touch control
- Halogen lights 2 x 20 W
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 725 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-V6965BG




Features


- Wall mounted hood
- Touch control
- Spot lights 2 x 20 W halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-V9965BG




Features

- Wall mounted hood
- Touch control
- Spot lights 2 x 20 W halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-V2965BG




Features


- Wall mounted hood
- Touch control
- Spot lights 2 x 20 W halogen
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 650 m³/hour
- Black glass
- Double air inlet
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F75963BG




Features

- Wall mounted hood
- Remote control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- 630 m³/hour
- Black glass
- Perimeter aspiration
- Energy class C

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F03970BG




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m³/hour
- Black glass
- Perimeter aspiration
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F04970BG




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 3 + 1 (intensive)
- Timer 5/10/20 min
- Heat sensor
- 700 m³/hour
- Black glass
- Perimeter aspiration
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-DY87BK




Features

- Wall mounted hood
- Touch control
- Program display
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Black glass
- Available in white color
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F34965X




Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m3/hour
- Stainless steel
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F7R960




Features

- Wall mounted hood
- Touch control
- Lights 2 x 20 W halogen
- Speeds 3
- Timer 5/10/20 min
- 600 m³/hour technology
- Dark glass
- Perimeter aspiration
- Energy class C

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F84980X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m³/hour
- Stainless steel
- Perimeter aspiration
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F22985X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 9 (7+ 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 850 m³/hour EBM motor
- Stainless steel
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F84S980X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m3/hour
- Stainless steel
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm




FLWH1-LO96X



Features

- Wall mounted hood
- EVO touch control
- Program display
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Remote control – optional
- Stainless steel
- Energy class A+



Dimensions:
- W 90 cm


* Available in 60cm

FLWH4-F00965X



Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Timer
- Heat sensor
- 650 m3/hour
- Stainless steel
- Energy class A



Dimensions:
- W 90 cm


* Available in 60cm

FLWH4-F05965X



Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 4 (3 + 1 intensive)
- Heat sensor
- 650 m3/hour
- Stainless steel
- Energy class A



Dimensions:
- W 90 cm


* Available in 60cm

FLWH1-ST97X



Features

- Wall mounted hood
- Touch control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel
- Energy class A+



Dimensions:
- W 90 cm

* Available in 60cm

FLWH4-F6V6980X




Features

- Wall mounted hood
- Touch control
- Lights 2 x 2,1 W Led
- Speeds 6 (4 + 2 intensive)
- Timer 5/10/20 min
- Heat sensor
- 800 m3/hour
- Stainless steel
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F3S965X




Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m3/hour
- Stainless steel
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-GL97X




Features

- Wall mounted hood
- Electronic control
- Led lights
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel
- Energy class C

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-NI97XG




Features

- Wall mounted hood
- Electronic control
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel and glass
- Energy class D

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-RA97XG




Features

- Wall mounted hood
- Soft push button
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel and glass
- Energy class D

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F0S965X




Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 650 m3/hour
- Stainless steel
- Energy class C

Dimensions:
- W 90 cm

* Available in 60cm



FLWH4-F9S975XG




Features

- Wall mounted hood
- Soft push button
- Lights 2 x 2,1 W Led
- Speeds 4
- 720 m³/hour
- Stainless steel and glass
- Energy class A

Dimensions:
- W 90 cm

* Available in 60cm



FLWH1-SY97X




Features

- Wall mounted hood
- Soft push button
- Spot lights 2 x 20 W
- Speeds 3 + 1
- Delay timer
- 720 m³/hour
- Stainless steel
- Energy class D

Dimensions:
- W 90 cm

* Available in 60cm



LAUNDRY



Clean and cared for caring for the different fabrics of today, whilst reducing water consumption and being energy-efficient, our range of laundry appliances provides exactly the washing and drying options you need.







SYMBOLS AND SPECIFICATIONS

PROGRAM PHASE INDICATOR

DELAYED START
Press the symbol repeatedly until the required delay time is indicated by the appropriate LED.

TEMPERATURE
The machine will automatically prevent from setting a temperature higher than the temperature expected for each program.

PREWASH
Prewash is recommended for garments soiled with dust, dirt and sand or with particularly stubborn stains.

ADJUSTABLE SPIN:
Touch the “SPIN” symbol to select the desired spin speed.

ANTI-CREASE
The appropriate LED will light up so that the washing machine adjuststhe washing parameters to prevent creases, making ironing easier.

EXTRA RINSE
This option is recommended if your skin is particularly sensitive to enzymes in detergents.

START/PAUSE:
To confirm your selection and start the wash cycle





FLFW9-107SW



Features

- Washing machine free standing
- 7 kg
- 1000 Rpm
- 9 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 55 cm

FLFW9-108SW



Features

- Washing machine free standing
- 8 kg
- 1200 Rpm
- 9 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 55 cm

FLFW9-129SW



Features

- Washing machine free standing
- 9 kg
- 1200 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 50 cm

FLFW9-1210SW



Features

- Washing machine free standing
- 10 kg
- 1200 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A +++

Dimensions:

- H 85 cm
- W 59.5 cm
- D 60 cm

FLFWD9-1485LW



Features

- Washer dryer free standing
- 8/5 kg
- 1200 Rpm
- 9 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class B

Dimensions:

- H 85 cm
- W 59.5 cm
- D 55 cm

FLCD9-7SW



Features

- Dryer free standing
- 7 kg
- Condenser
- 5 Programs
- 3 drying options
- Upper water tank
- Automatic drying control
- Optical cycle warning
- Delay start
- Child safety
- White

Dimensions:

- H 85 cm
- W 60 cm
- D 59 cm

FLFIW9-148LW



Features

- Washing machine fully integrated
- 8 kg
- 1400 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A+++

Dimensions:

- H 82 cm
- W 59.5 cm
- D 54.5 cm

FLFIWD-1485LW



Features

- Washer dryer fully integrated
- 8/5 kg
- 1400 Rpm
- 14 washing programs
- 7 washing options
- Eco carbon tub
- Self cleaning pump
- Soap dispenser
- Overflow system
- Anti – foam system
- Blackout protection
- Over voltage protection
- Over temperature safety
- Led technology
- 180° easy opening
- White
- Energy class A

Dimensions:

- H 82 cm
- W 59.5 cm
- D 54.5 cm

DISHWASHING



Clean your cookware, cutlery and crockery to hygienic perfection.
We have created a range that includes every level of dishwasher,
so that you can match your new appliance to your household and needs.







SYMBOLS AND SPECIFICATIONS

PROGRAM DELAY
Button can be pressed to delay the start of the washing program by from 1 to 12/24 hours .This option allows the dishwasher to be operated at the time of day of the user's choice.This option allows the dishwasher to be operated at the time of day of the user's choice.

HALF LOAD
Suitable when there are not many dishes to be washed, it saves energy and reduces the program duration.

HALF LOAD
Specifically for washing with combination detergents in tablets, which also contain salt and rinse or other agents such as glass protector, steel rinse aids.

ENERGY SAVE
This option can be selected with the wash program of choice to further reduce energy consumption.

PLACE SETTINGS 13
13 place settings having a big capacity capability , helping you in reducing time and effort in your kitchen .

PLACE SETTINGS
14 place settings to create the maximum capacity capability , helping you in reducing time and effort in your kitchen.

WATER CONSUMPTION PER CYCLE
12 liters consumption per cycle , 3360 liters annual consumption .. Now get your ideal wash with a minimum cost .

SUPER PROGRAM
Very dirty pans and dishes, even with dried-on residues are no more a problem . This is the high clean program .

ENERGY SAVING EFFICIENCY

SAFETY LOCK
Wash safely .. A high safety system is integrated .





FLFDW7-1310SX



Features

- Free standing dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Stainless steel panel control
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- Silver
- A+ energy efficiency

Dimensions:

- H 85 cm
- W 60 cm
- D 60 cm

FLFDW7-1310W



Features

- Free standing dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- White
- A+ energy efficiency

Dimensions:

- H 85 cm
- W 60 cm
- D 60 cm

FLSIDW7-1410S



Features

- Semi integrated dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Stainless steel panel control
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- A+ energy efficiency

Dimensions:

- H 79 cm
- W 60 cm
- D 54 cm

FLFIDW7-1410



Features

- Fully integrated dishwasher
- 13 place settings
- 12L water consumption
- 10 programs
- Temperature 38°,45°, 55°, 65°, 70°
- 3 in 1 option
- Sanitization program
- Salt level gauge
- Rinse aid level gauge
- Acoustic signal at end program
- Anti finger printing technology
- Delay timer
- 2 spray arms + 1 sprinkler
- Digital control
- Led screen
- A+ energy efficiency

Dimensions:

- H 79 cm
- W 60 cm
- D 45 cm



COOLING

Cool, inside and out! Packed with features,
FLORA's cooling range is designed with food care and safe storage
in mind and has something to suit every kitchen.







SYMBOLS AND SPECIFICATIONS

NO FROST SYSTEM
The technology that prevents condensation inside the refrigerator and the freezer. It is a multi-level no frost system that maintains the correct degree of humidity preventing frost from forming .

AIR SANITIZING SYSTEM
The innovative filter, made with a special activated carbon fiber, purifies the air inside the refrigerator compartment, eliminating unpleasant odors and preventing proliferation of bacteria.

ANTIBACTERIAL SYSTEM
The filter, purifying the air inside the refrigerator compartment and regenerating by simply washing it with water.

ANTICORROSION TREATMENT
Ensuring a high level of protection against chemical agents and allows better adhesion of liquid finishing paints.

HOLIDAY-ECO FUNCTION
This function activates the energy saving mode ensuring an optimal temperature. Now you guarantee the correct preservation of food with a notable reduction in electricity consumption.

LED DISPLAY
The touch display allows you to set the internal temperature and activating any function you need. Its only a figure touching .

CHILLER BOX
A special drawer at controlled temperature around zero, offers an ideal condition for strong fresh food . the temperature is kept constant between 0 and 4.

CRISPER BOX
A very large drawer dedicated to preserve fruit and vegetables . Now keep your food fresh.

BOTTLE RACK
An elegant stainless steel bottle holder to store bottles and cans without taking up space on the counter door .

SHATTERPROOF GLASS SHELVES
Unbreakable glass shelves designed to ensure maximum safety. Don't forget .... You can wash them in your dishwasher.






FLFSSBS9-122X



Features

- Fridge freezer free standing
- Side by side – 2 doors
- Dynamic cooling system
- No frost
- Gross fridge volume 352L
- Gross freezer volume 262L
- Anti bacterial system
- Holiday eco function
- Super cool
- LCD display
- Electronic control
- Full stainless steel
- Energy class A+



The perfect synthesis of aesthetics, technology and functionality.
This fridge freezer freestanding is designed to be spacious and unique and is created to live and last in time.

Dimensions:

- H 185 cm
- W 120 cm
- D 61 cm

FLFSFF9-7185BX



Features

- Fridge freezer free standing
- Bottom freezer
- Dynamic cooling system
- No frost
- Gross fridge volume 415L
- Gross freezer volume 97L
- Anti bacterial system
- Holiday eco function
- Super cool
- Air sanitizing system
- LCD display
- Electronic control
- Full stainless steel
- Energy class A+

The Italian way by stylish and simple design. You will add real style to your kitchen, but rest assured, you're also adding one of the most innovative dynamic cooling systems.

Dimensions:


- H 185 cm
- W 70 cm
- D 66 cm

FLFSFZ9-6185X



Features

- Fridge free standing
- Upright – single door
- Dynamic cooling system
- No frost
- Gross volume 352L
- Anti bacterial system
- Holiday eco function
- Super cool
- Automatic defrost
- 6 glass shelves + 2 drawers
- LCD display
- Electronic control
- Full stainless steel
- Energy class A+



Combining simplicity, rigor and modernity, this fridge free standing comes with a comprehensive range of innovative to help you make your life so much easier.

Dimensions:

- H 185 cm
- W 60 cm
- D 61 cm


LED vetro intangible Crisper BOX

FLFSFR9-6185X



Features

- Freezer free standing
- Upright – single door
- Dynamic cooling system
- No frost
- Gross volume 262L
- Anti bacterial system
- Holiday eco function
- Super cool
- 5 shelves + 2 drawers
- LCD display
- Electronic control
- Full stainless steel
- Energy class A+



The Italian way by stylish and simple design. You will add real style to your kitchen, but rest assured, you're also adding one of the most innovative dynamic cooling systems.

Dimensions:

- H 185 cm
- W 60 cm
- D 61 cm


LED Chiller BOX vetro intangible

FLFIFR9-6185X



Features

- Fridge fully Integrated
- Upright – single door
- Dynamic cooling system
- No frost
- Gross volume 352L
- Anti bacterial system
- Holiday eco function
- Super cool
- Automatic defrost
- 6 glass shelves + 3 drawers
- LCD display
- Electronic control
- Energy class A+



Discreetly hidden behind cabinetry doors this fully integrated fridge performs brilliantly to keep food ready to go and on hand in the kitchen.

Dimensions:

- H 185 cm
- W 60 cm
- D 58 cm




FLFIFZ9-6185X



Features

- Freezer fully Integrated
- Upright – single door
- Dynamic cooling system
- No frost
- Gross volume 262L
- Anti bacterial system
- Holiday eco function
- Super cool
- 5 shelves + 2 drawers
- LCD display electronic control
- Energy class A+



Keep your frozen food on hand with this fully integrated freezer designed to be installed straight into your kitchen cabinetry.

Dimensions:

- H 185 cm
- W 60 cm
- D 58 cm




FLFIFF9-68BM



Features

- Fridge freezer fully Integrated
- Bottom freezer
- Dynamic cooling system
- No frost
- Gross fridge volume 415L
- Gross freezer volume 97L
- Anti bacterial system
- Holiday eco function
- Super cool
- Air sanitizing system
- LCD display
- Electronic control
- Energy class A+



Store everything together and out of sight with this fully integrated fridge freezer. An ideal option for kitchens with limited space.

Dimensions:

- H 185 cm
- W 60 cm
- D 61 cm

